

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Identification · Product identifier • Trade name: Diafine A Film Developer · Product number: DFD-A-32; DFD-A-128 · Relevant identified uses of the substance or mixture and uses advised against · Product description Developer for black and white film. · Details of the supplier of the safety data sheet · Manufacturer/Supplier: OmegaBrandess Distribution 626 Hanover Pike Suite 102 Hampstead, MD 21074 Ph: 410-374-3250 Fx: 410-374-3184 · Emergency telephone number: Chemtrec 800-424-9300 ? Hazard(s) identification · Classification of the substance or mixture GHS08 Health hazard Muta. 2 H341 Suspected of causing genetic defects. **GHS05** Corrosion H318 Causes serious eye damage. Eye Dam. 1 **GHS09** Environment Aquatic Acute 1 H400 Very toxic to aquatic life. GHS07 Acute Tox, 4 H302 Harmful if swallowed. Skin Sens. 1 H317 May cause an allergic skin reaction. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 GHS07 GHS08 GHS09

- · Signal word Danger
- Hazard-determining components of labeling: Trade Secret



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Diafine A Film Developer

· Hazard statements Harmful if swallowed. Causes serious eye damage. May cause an allergic skin reaction. Suspected of causing genetic defects. Very toxic to aquatic life. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray. Wear protective gloves. Wear eye protection / face protection. Avoid release to the environment. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If swallowed: Call a poison center/doctor if you feel unwell. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). Wash contaminated clothing before reuse. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Rinse mouth. If on skin: Wash with plenty of water. Collect spillage. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Unknown acute toxicity: 1 percent of the mixture consists of ingredient(s) of unknown toxicity. · Classification system: NFPA ratings (scale 0 - 4) Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH*2FIRE0REACTIVITY0Reactivity = 0

Hazard(s) not otherwise classified (HNOC): None known

Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Diafine A Film Developer

· Dangerous Components:		
	Trade Secret ♦ Muta. 2, H341; ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302; Skin Sens. 1, H317	12.73%
RTECS: GE 7350000	Trade Secret () Eye Irrit. 2A, H319	3.98%
	Trade Secret 〈 Aquatic Chronic 2, H411; 〈 Acute Tox. 4, H302	0.98%
1 First aid maasuras		

4 First-aid measures

Description of first aid measures

- After inhalation: In case of unconsciousness, place patient securely on side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- If skin irritation occurs, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If swallowed and symptoms occur, consult a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Dispose of the collected material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

• *Precautions for safe handling* No special precautions are necessary if used correctly.

· Information about protection against explosions and fires: No special measures required.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Trade name: Diafine A Film Developer

Reviewed on 06/03/2015

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with occupational exposure limits:

Trade Secret

PEL Long-term value: 2 mg/m³

- REL Ceiling limit value: 2* mg/m³ *15-min
- TLV Long-term value: 1 mg/m³ DSEN

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing and wash before reuse. Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 5)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Diafine A Film Developer



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and che General Information 	emical properties	
 Appearance: Form: Color: Odor: Odor threshold: 	Granulate White Odorless Not determined.	
· pH-value:	Not applicable.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. 285 °C (545 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	515 °C (959 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapor pressure:	Not applicable.	
 Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with 	Not determined. Not applicable. Not applicable.	
Water:	Insoluble.	
· Partition coefficient (n-octanol/water)	: Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not applicable. Not applicable.	
 Solvent content: Organic solvents: 	0.0 %	
Solids content: • Other information	100.0 % No further relevant information available.	(C



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Page 6/10

Trade name: Diafine A Film Developer

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Trade Secret

Oral LD50 320 mg/kg (rat)

Trade Secret

Oral LD50 5040 mg/kg (mouse)

- Primary irritant effect:
- on the skin: Emmissions from broken bulbs may cause an allergic skin reaction.
- on the eye:

Strong irritant with the danger of severe eye injury.

Causes serious eye irritation.

Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
Trade Secret	3
· NTP (National Toxicology Program)	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients are listed.	
12 Ecological information	

• Toxicity

• Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:

· Remark: Very toxic for fish



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Trade name: Diafine A Film Developer

- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. Other adverse effects No further relevant information available. 3 Disposal considerations · Waste treatment methods · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. · Uncleaned packagings: · Recommendation: Disposal must be made according to official regulations. 4 Transport information · UN-Number

· DOT Non-Regulated Material UN3077 · ADR, IMDG, IATA · UN proper shipping name · DOT Non-Regulated Material · ADR UN3077 Environmentally hazardous substances, solid, n.o.s. (Trade Secret) ·IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Trade Secret, Trade Secret), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, ·IATA N.O.S. (Trade Secret) • Transport hazard class(es) · DOT · Class Non-Regulated Material · ADR · Class 9 (M7) Miscellaneous dangerous substances and articles · Label 9 · IMDG. IATA · Class 9 Miscellaneous dangerous substances and articles · Label 9 (Contd. on page 8)

Reviewed on 06/03/2015



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Diafine A Film Developer

· Packing group	
·DOT	Non-Regulated Material
· ADR, IMDG, IATA	
• Environmental hazards:	Product contains environmentally hazardous substances: Trade Secret
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
• Special precautions for user	Warning: Miscellaneous dangerous substances and articles
· Danger code (Kemler):	90
· EMS Number:	F-A,S-F
• Transport in bulk according to Annex II	
MARPOL73/78 and the IBC Code	Not applicable.
MARF 02/3/70 and the IDC Code	Not applicable.
 Transport/Additional information: 	
· ADR	
• Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
·IMDG	
	5 kg
· Limited quantities (LQ)	5 kg Code: E1
 Excepted quantities (EQ) 	
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN3077, Environmentally hazardous substances, solid, n.o.s.
on model Regulation .	(Trade Secret), 9, III

5 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):
Trade Secret
· Section 313 (Specific toxic chemical listings):
Trade Secret
• TSCA (Toxic Substances Control Act):
All ingredients are listed.
· California Proposition 65
· Chemicals known to cause cancer:
None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients are listed.
(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Diafine A Film Developer

- · Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH)

Trade Secret

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



Signal word Danger

· Hazard-determining components of labeling: Trade Secret · Hazard statements Harmful if swallowed. Causes serious eye damage. May cause an allergic skin reaction. Suspected of causing genetic defects. Very toxic to aquatic life. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray. Wear protective gloves. Wear eye protection / face protection. Avoid release to the environment. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If swallowed: Call a poison center/doctor if you feel unwell. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). Wash contaminated clothing before reuse. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Rinse mouth. If on skin: Wash with plenty of water. Collect spillage. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 10)

A3



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Diafine A Film Developer

National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

• State Right to Know

otato nagini to natom		
	Trade Secret	12.73%
	♦ Muta. 2, H341; ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302; Skin Sens. 1, H317	
RTECS: GE 7350000	Trade Secret	3.98%
	🚸 Eye Irrit. 2A, H319	
	Trade Secret	0.98%
	🚯 Aquatic Chronic 2, H411; 🚸 Acute Tox. 4, H302	
All ingredients are listed.		

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 06/03/2015 / 1

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Muta. 2: Germ cell mutagenicity, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

1 Identification

- · Product identifier
- Trade name: Diafine B Film Developer
- · Product number: DFD-B-32; DFD-B-128
- · Relevant identified uses of the substance or mixture and uses advised against
- · *Product description* Developer for black and white film.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
 OmegaBrandess Distribution
 626 Hanover Pike Suite 102
 Hampstead, MD 21074
 Ph: 410-374-3250
 Fx: 410-374-3184
 Emergency telephone number: Chemtrec 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Warning
- · Hazard statements
- Causes serious eye irritation.
- · Precautionary statements

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Unknown acute toxicity:

5 percent of the mixture consists of ingredient(s) of unknown toxicity.

- · Classification system:
- NFPA ratings (scale 0 4)



(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Diafine B Film Developer

· HMIS-ratings (scale 0 - 4)

HEALTH 1	Health = 1
	Fire = 0
REACTIVITY 0	Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous Components:

Trade Secret

4 First-aid measures

Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed:* No further relevant information available. • *Indication of any immediate medical attention and special treatment needed*

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- *Environmental precautions:* Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose of the collected material according to regulations. Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

' Handling and storage

· Handling:

· Precautions for safe handling No special precautions are necessary if used correctly.

28.7%

1 Eye Irrit. 2, H319



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Trade name: Diafine B Film Developer

Page 3/7

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form: Color:

Granulate White



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Diafine B Film Developer

pH-value:Not applicable.Change in condition Melting point/Melting range: Boiling point/Boiling range:Not determined. Not determined.Flash point:Not applicable.Flash point:Not determined.Flammability (solid, gaseous):Not determined.Ignition temperature:Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not self-igniting.Danger of explosion:Product does not present an explosion hazard.
Melting point/Melting range:Not determined.Boiling point/Boiling range:Not determined.Flash point:Not applicable.Flammability (solid, gaseous):Not determined.Ignition temperature:Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not self-igniting.
Flammability (solid, gaseous): Not determined. Ignition temperature: Not determined. Decomposition temperature: Not determined. Auto igniting: Product is not self-igniting.
Ignition temperature: Not determined. Decomposition temperature: Not determined. Auto igniting: Product is not self-igniting.
Decomposition temperature: Not determined. Auto igniting: Product is not self-igniting.
Auto igniting: Product is not self-igniting.
• Danger of explosion: Product does not present an explosion hazard.
• Explosion limits:
· <i>Vapor pressure:</i> Not applicable.
Density: Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.
 Solubility in / Miscibility with Water: Insoluble.
· Partition coefficient (n-octanol/water): Not determined.
· Viscosity: Dynamic: Not applicable. Kinematic: Not applicable.
• Solvent content: Organic solvents: 0.0 %
Solids content: 100.0 % Other information No further relevant information available.

0 Stability and reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Diafine B Film Developer

11 Toxicolo	ogical inform	ation	
	 Information on toxicological effects Acute toxicity: 		
· LD/LC50 \	alues that are	relevant for classification:	
Trade Sec	ret		
	LD50 LC50/96 hours	4090 mg/kg (rat) 300 mg/l (Fathead Minnow)	
on the ski on the eye Irritating ef Causes se Additiona	fect. rious eye irritati <i>I toxicological</i> uct shows the	on.	
	enic categories		
	-	ncy for Research on Cancer)	
	e ingredients ar		
-	NTP (National Toxicology Program)		
	None of the ingredients are listed.		
	· OSHA-Ca (Occupational Safety & Health Administration)		
None of th	e ingredients ar	e listed.	
12 Ecologic	cal informati	on	
· Toxicity			
· Aquatic to	oxicity:		
Trade Sec			
EC50 227	mg/l (daphnia)		
	· Persistence and degradability No further relevant information available.		
Behavior in environmental systems:			
 Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. 			
Additional ecological information:			
	General notes: Not known to be hazardous to water.		
	 Results of PBT and vPvB assessment PBT: Not applicable. 		
· <i>vPvB:</i> Not applicable.			
	Other adverse effects No further relevant information available.		

13 Disposal considerations

· Waste treatment methods

· *Recommendation:* Recycle or dispose with household trash.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Diafine B Film Developer

Uncleaned packagings:

Transport information

· UN-Number · DOT, ADR, IMDG, IATA Non-Regulated Material · UN proper shipping name · DOT, ADR, IMDG, IATA Non-Regulated Material Transport hazard class(es) · DOT, ADR, IMDG, IATA · Class Non-Regulated Material Packing group DOT, ADR, IMDG, IATA Non-Regulated Material · Environmental hazards: Not applicable. · Special precautions for user Not applicable. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. UN "Model Regulation": Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

• **Recommendation**: Disposal must be made according to official regulations.

- · Section 355 (extremely hazardous substances): None of the ingredients are listed. · Section 313 (Specific toxic chemical listings): None of the ingredients are listed. TSCA (Toxic Substances Control Act): All ingredients are listed. · California Proposition 65 · Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. · Chemicals known to cause developmental toxicity: None of the ingredients are listed. Carcinogenic categories • EPA (Environmental Protection Agency) None of the ingredients are listed. • TLV (Threshold Limit Value established by ACGIH) None of the ingredients are listed.
 - *NIOSH-Ca (National Institute for Occupational Safety and Health)* None of the ingredients are listed.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Diafine B Film Developer

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Warning

- Hazard statements
- Causes serious eye irritation.
- Precautionary statements

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

 National regulations: The product is subject to be classified according with the latest version of the regulations on hazardous substances.
 State Right to Know Trade Secret
 Yeye Irrit. 2, H319
 28.7%

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 06/03/2015 / -

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106