

**SECTION1. Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product code : B/W KIT INVERSIONE SBIANCA Permanganato PARTE A LT 1  
Trades code : B/W KIT INV BL A

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Photographic Process

Sectors of use:

Professional use[SU22]

Product category:

Photochemicals

Process categories:

Mixing or blending in batch processes for formulation of preparations\* and articles (multistage and/or significant contact)[PROC5]

Uses advised against

Do not use for purposes other than those listed

**1.3. Details of the supplier of the safety data sheet**

BELLINI FOTO S.r.l.

VIA FERRIERA, 68 - 06089 - TORGIANO - PERUGIA

ITALY

Tel +39 075 985 174 Fax +39 075 985 288

E-mail:info@bellinifoto.it - Web: www.bellinifoto.it

E-mail technical assistance: enrico.pompili@bellinifoto.it

Produced by

BELLINI FOTO S.r.L.

Via Ferriera, 68 06089 TORGIANO - PG - ITALY Tel. +39 075 985174

**1.4. Emergency telephone number**

Bellini Foto S.r.l. (PG) - Tel . +39 075 985 174

**SECTION2. Hazards identification**

**2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07

Hazard Class and Category Code(s):

Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3

Hazard statement Code(s):

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours, if brought into contact with skin, it causes significant inflammation with erythema, scabs, or edema

The product is dangerous to the environment as it is harmful to aquatic life with long lasting effects

**2.2. Label elements**

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS07 - Warning

Hazard statement Code(s):

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.



H412 - Harmful to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):

not applicable

Precautionary statements:

Prevention

P264 - Thoroughly wash clothing after use.

P273 - Avoid release to the environment.

P280 - Wear protective gloves protective clothing eye protection face protection.

Response

P302+P352 - IF ON SKIN: Wash with plenty of water and seek medical advice.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment to see instructions on the safety data sheet

P332+P313 - If skin irritation occurs: Get medical advice attention.

P337+P313 - If eye irritation persists: Get medical advice attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

Disposal

P501 - Dispose of contents and container in accordance with the laws in force

### 2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII  
No information on other hazards

## SECTION3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACH
potassium permanganate	> 1 <= 5%	Ox. Sol. 2, H272; Acute Tox. 4, H302; Skin Corr. 1A, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	025-002-00-9	7722-64-7	231-760-3	

## SECTION4. First aid measures

### 4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water.

Warning: This product is toxic to skin contact. Consult a physician.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

**Ingestion:**

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

If skin irritation occurs: Get medical advice attention.

If eye irritation persists: Get medical advice attention.

**SECTION 5. Firefighting measures****5.1. Extinguishing media**

Advised extinguishing agents:

Water spray, CO<sub>2</sub>, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

**5.2. Special hazards arising from the substance or mixture**

No data available.

**5.3. Advice for firefighters**

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

**SECTION 6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

**6.2. Environmental precautions**

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

**6.3. Methods and material for containment and cleaning up**

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

**6.4. Reference to other sections**

Refer to paragraphs 8 and 13 for more information

**SECTION 7. Handling and storage****7.1. Precautions for safe handling**

Avoid contact and inhalation of vapors  
Wear protective gloves protective clothing eye protection face protection.  
At work do not eat or drink.  
See also paragraph 8 below.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep in original container closed tightly. Do not store in open or unlabeled containers.  
Keep containers upright and safe by avoiding the possibility of falls or collisions.  
Store in a cool place, away from sources of heat and direct exposure of sunlight.

**7.3. Specific end use(s)**

Professional use:  
Photographic and cinematographic treatment

**SECTION 8. Exposure controls/personal protection****8.1. Control parameters**

- Substance: potassium permanganate  
DNEL  
Systemic effects Long term Workers dermal = 1,25 (mg/kg bw/day)  
Systemic effects Long term Consumers dermal = 0,2 (mg/kg bw/day)  
Systemic effects Long term Consumers oral = 0,02 (mg/kg bw/day)  
Local effects Long term Workers dermal = 0,17 (mg/kg bw/day)  
Local effects Long term Consumers dermal = 0,03 (mg/kg bw/day)  
Local effects Long term Consumers inhalation = 0,03 (mg/m<sup>3</sup>)  
PNEC  
Sweet water = 0,00006 (mg/l)  
intermittent emissions = 0,00006 (mg/l)  
STP = 1,64 (mg/l)  
Air = 0,2 (mg/m<sup>3</sup>)

**8.2. Exposure controls**

Appropriate engineering controls:

Professional use:

Not established

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Related to contained substances:

potassium permanganate:

Do not let this chemical agent contaminate the environment.

**SECTION9. Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical and chemical properties	Value	Determination method
Appearance	Liquid	
Odour	undefined	
Odour threshold	undefined	
pH	5.50 ± 0.10 a 20°C	pH METRO
Melting point/freezing point	Not determined	
Initial boiling point and boiling range	> 100 °C	
Flash point	non flammable	ASTM D92
Evaporation rate	Irrilevant	
Flammability (solid, gas)	Irrilevant	
Upper/lower flammability or explosive limits	Irrilevant	
Vapour pressure	Irrilevant	
Vapour density	Irrilevant	
Relative density	1.085 ± 0.005 a 20°C	
Solubility	in water	
Water solubility	Complete	
Partition coefficient: n-octanol/water	Irrilevant	
Auto-ignition temperature	Irrilevant	
Decomposition temperature	Irrilevant	
Viscosity	Irrilevant	
Explosive properties	not explosive	
Oxidising properties	Oxidizer	

**9.2. Other information**

No data available.

**SECTION10. Stability and reactivity****10.1. Reactivity**

Related to contained substances:  
potassium permanganate:  
Strong oxidizing agent, may cause ignition of combustible substances and increases the speed of combustion, when exposed to intense heat sources (150 C) can decompose releasing oxygen.  
In contact with other chemicals (combustible organic compounds, inorganic easily oxidized and finely divided metals) may cause a rapid exothermic reaction.

**10.2. Chemical stability**

No hazardous reaction when handled and stored according to provisions.

**10.3. Possibility of hazardous reactions**

There are no hazardous reactions

**10.4. Conditions to avoid**

Nothing to report

**10.5. Incompatible materials**

It can generate toxic gases to contact with acids, amide, aliphatic and aromatic amines, carbamate, halogenated substances, isocyanetic, organic sulfide, nitrile, organic phosphates, inorganic sulfide, polymerizable compounds. It can be easy ignite in contact with other substances.

**10.6. Hazardous decomposition products**

Does not decompose when used for intended uses.

**SECTION 11. Toxicological information****11.1. Information on toxicological effects**

ATE(mix) oral = 181.818,2 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skin corrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.

potassium permanganate: Skin-rabbit score: Corrosive-4:00

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

(d) respiratory or skin sensitization: based on available data, the classification criteria are not met.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.

(g) reproductive toxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

potassium permanganate:

EXPOSURE: The substance can be absorbed into the body by inhalation of its dust and by ingestion

Inhalation risk Evaporation at 20 ° C is negligible; a harmful concentration of airborne particles can, however, be reached quickly when dispersed.

EFFECTS OF SHORT-TERM EXPOSURE: The substance 'corrosive to the eyes, the skin and the respiratory tract. Corrosive on ingestion. Inhalation of the dust of this substance may cause lung edema (see Notes). The effects may be delayed. And 'effects may be delayed.

EFFECTS OF LONG-TERM OR REPEATED EXPOSURE: The substance may have effects on the lungs, resulting in bronchitis and pneumonia

ACUTE HAZARDS / SYMPTOMS

Inhalation Burning sensation. Cough. Sore throat. Heavy breath. difficulty breathing. Symptoms may be delayed (see Notes).

SKIN Redness. skin burns. Ache.

Eyes Redness. Ache. Severe deep burns.

Ingestion Burning sensation. Abdominal pain. Diarrhea. Nausea. Vomiting. Shock or collapse.

**N O T E** The symptoms of lung edema often do not become manifest until a few hours and they are aggravated by physical effort. They are therefore essential the rest and medical observation.

LD50 (rat) Oral (mg/kg body weight) = 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

**SECTION 12. Ecological information**

### **12.1. Toxicity**

Related to contained substances:

potassium permanganate:

The very toxic to aquatic organisms.

C(E)L50 (mg/l) = 0,5

The product is dangerous for the environment as it is toxic for aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

### **12.2. Persistence and degradability**

Related to contained substances:

potassium permanganate:

The product potentially biodegradable

### **12.3. Bioaccumulative potential**

Related to contained substances:

potassium permanganate:

Bioconcentration factor (BCF): < 10000

Remark: Can accumulate in aquatic organisms.

### **12.4. Mobility in soil**

Related to contained substances:

potassium permanganate:

No data available

### **12.5. Results of PBT and vPvB assessment**

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

### **12.6. Other adverse effects**

No adverse effects

## **SECTION13. Disposal considerations**

### **13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

## **SECTION14. Transport information**

### **14.1. UN number**

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

### **14.2. UN proper shipping name**

None

### **14.3. Transport hazard class(es)**

None

### **14.4. Packing group**

None

**14.5. Environmental hazards**

None

**14.6. Special precautions for user**

No data available.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

It is not intended to carry bulk

**SECTION 15. Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Legislative Decree. 02/03/1997 n. 52 (Classification, packaging and labeling of dangerous substances). Legislative Decree 14/03/2003 n. 65 (Classification, packaging and labeling of dangerous substances). Legislative Decree. 02/02/2002 n. 25 (Risks related to chemical agents at work). D.M. 26/02/2004 Work (Exposure Limits Professional); D.M. 03/04/2007 (Implementation of Directive n. 2006/8 / EC). Regulation (EC) No. 1907/2006 (REACH), Regulation (EC) No. 1272/2008 (CLP), Regulation (EC) 790 / 2009.D.Lgs. September 21, 2005 n. 238 (Seveso Ter).  
REGULATION (EU) No 1357/2014 - waste:  
HP4 - Irritant — skin irritation and eye damage

**15.2. Chemical safety assessment**

No chemical safety assessment was carried out by the supplier

**SECTION 16. Other information****16.1. Other information**

Description of the hazard statements exposed to point 3

H272 = May intensify fire; oxidiser.

H302 = Harmful if swallowed.

H314 = Causes severe skin burns and eye damage.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

Classification based on data of all mixture components

Main normative references:

Directive 1999/45/EC

Directive 2001/60/EC

Regulation 1272/2008/EC

Regulation 2010/453/EC

Regolamento 529/2012 and subsequent updates

This data sheet cancels and replaces any previous edition.