Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

IDENTITY (As Used on Label and List)

BERG ACTIVATOR

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name	Emergency Telephone Number
BERG COLOR-TONE, A DIV OF OMEGA	800-777-6634
Address (Number, Street, City, State, and ZIP Code)	Telephone Number for Information
626 HANOVER PIKE, HAMPSTEAD, MD 21074	410-374-3250
	Date Prepared 01/01/16
	Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	%(optional)
ACETIC ACID		12 ppm (T	WA)	
NO ODOR.				

Section III - Physical/Chemical Characteristics

Boiling Point	ABOUT 212°F	Specific Gravity ($H_2O = 1$)	N/A
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water TOTALLY MISCIBLE.			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) NOT FLAMMABLE.	Flammable Limits	LEL	UEL
Extinguishing Media			
Special Fire Fighting Procedures N/A			
Unusual Fire and Explosion Hazards			

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	
Incompatibility (/ N/A	Materials to Avoi	id)	
Hazardous Decon	nposition or Byp	roducts	
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? LOW HAZARD	Skin? YES	Ingestion? YES		
Health Hazards <i>(Acute and Chronic)</i> EYES: MAY CAUSE EYE IRRITATION. SKIN: REPEATED OR PROLONGED SKIN CONTACT MAY CAUSE SKIN IRRITATION. MAY BE ABSORBED THROUGH THE SKIN. HARMFUL IF SWALLOWED.					
Carcinogenicity: INFO UNAVAILABLE			OSHA Regulated?		
Signs and Symptoms of Exposure IRRITATION OF SKIN OR EYES, EXCITATION, NAUSEA					
Medical Conditions Generally Aggravated by Exposure NONE KNOWN					
Emergency and First Aid Procedures EYES: FLUSH EYES WITH WATER. SKIN: WASH WELL. INGESTION: CONTACT PHYSICIAN AT ONCE.					

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled **WASH AREA WITH WATER.**

Waste Disposal Method FLUSH DOWN DRAIN WITH WATER.

Precautions to Be taken in Handling and Storing STORE AT ROOM TEMPERATURE. NO INCIDENTS OF SENSITIVITY TO THE FORMULATION.

Other Precautions

N/A

Section VIII - Control Measures

Respiratory Protect NONE REQUIRE	tion <i>(Specify Type)</i> E D .			
Ventilation	Local Exhaust USE IN A WELL VENTILATED ROC	Special Special		
	Mechanical (General)	Other		
Protective Gloves PLASTIC OR RUBBER		Eye Protection NOT NORMALLY REQUIRED		
Other Protective Clothing or Equipment USE PRINT TONGS IF HANDLING PHOTOGRAPHIC PRINTS.				
Work/Hygienic Practices WASH UP SPILLS IMMEDIATELY WITH WATER.				

(Reproduce locally)

* U.S.G.P.O.: 1986 - 491 - 529/45775 OSHA 174, Sept. 1985