

(In compliance with EC/1907/2006 Article 31 and Annex II)

Revision Date: 26/7/2012**Revision Number:** 0**Material/Trade Name:** FOTOSPEED SEPIA TONER BLEACH (Part 1)

1 – Identification of Substance/Mixture and of the Company/Undertaking

Material/Trade Name : Fotospeed Sepia Toner Bleach (Part 1)
Material type : Photographic process reagent
Company : Jay House Ltd
Address : 6B Park Lane Industrial Estate
Park Lane
Corsham
SN13 9LG
Telephone : 01249 714555
Fax : 01249 714999
Internet : info@fotospeed.com

2 – Hazards Identification

Classification of the substance or mixture

Not classified as hazardous according to Regulation (EC) No.1272/2008

Not classified as hazardous according to European Directive 67/548/EEC as amended
Contact with acids liberates very toxic gas (Hydrogen Cyanide)

3 – Composition/Information on Ingredients

CAS No.	EC No.	Index No.	Classification	Concentration
Potassium Bromide				
7758-02-3	231-830-3	[-]	Acute Tox. 4, Eye Irrit. 2, STOT - SE 3 H315, H319, H335 Xi; R36/37/38	3-5%
Potassium ferricyanide				
13746-66-2	237-323-3	[-]	EUH032 R32	10-12.5%

4 - First-aid Measures

Inhalation:

Remove to fresh air and rest. If recovery is not rapid call for prompt medical attention. Show this safety data sheet to medical personnel.

Eyes

Irrigate with water for at least 15 minutes. Take care not to wash chemical from one eye to another. If irritation persists, obtain medical attention.

Skin

Remove contaminated clothing. Wash with soap/cleanser and rinse with plenty of water. If irritation persists, obtain medical attention.

Ingestion

Do not induce vomiting. Give plenty of water to drink. If feeling unwell seek prompt medical attention.

(In compliance with EC/1907/2006 Article 31 and Annex II)

Revision Date: 26/7/2012

Revision Number: 0

Material/Trade Name: FOTOSPEED SEPIA TONER BLEACH (Part 1)

5 - Fire-fighting Measures

Suitable Extinguishers

Use media such as alcohol/aqueous foam, dry chemical, or carbon dioxide or water spray/fog which are suitable and appropriate for any surrounding fire.

Unsuitable Extinguishers

None.

Hazardous Decomposition

May produce small amounts of toxic fumes and combustion products if involved in a fire which could include traces of cyanides

Special Procedures/information for firefighters

Do not breathe decomposition products and fumes. Use approved self-contained breathing apparatus. Wear fire retardant clothing. Use water spray to cool containers. Prevent runoff from fire control from entering waterways. Large fires should only be dealt with by trained personnel.

6 - Accidental Release Measures

Personal Protection and Precautions

Use suitable personal protective equipment (refer to Section 8 for details). Avoid breathing vapours. Ensure adequate ventilation.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains or watercourses.

Containment, Cleaning up and Disposal Considerations

Absorb in inert material such as sand or non-combustible absorbent granules

Scoop up and place in plastic container to await transfer

Refer to Section 13 for further information regarding disposal.

7 - Handling and Storage

Handling

Avoid inhalation of vapour or mist.

Storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

8 - Exposure Controls/Personal Protection

Occupational Exposure Limit: 5 mg/m³ 8hrTWA WEL Potassium ferricyanide (Sk)

Respiratory Protection

Use in well ventilated areas. Use mechanical ventilation if possible.

Hand Protection

Wear polythene, PVC or nitrile gloves to Standard EN 374 (breakthrough time for total immersion in excess of 8 hours).

Eye Protection

Wear suitable eye protection such as safety glasses or goggles to Standard BS EN 166 if splash or eye contact likely.

Skin Protection

Wear suitable overalls or apron and change if contaminated. After contact with skin wash off immediately. Wash hands before breaks and immediately after using the product.

9 - Physical & Chemical Properties

Appearance : Orange liquid

Odour : None

pH : 9.7

Boiling point/range : <100°C

Melting point/range : n/e

Flash point : n/e

Flammability : NON FLAMMABLE

Autoflammability : n/e

Explosive properties : n/e

Oxidising properties : None

Vapour pressure : 23 hPa at 20°C

Relative density : 1.09

Solubility : Miscible in water

Partition Coefficient : n/e

Vapour Density : n/e

Viscosity : n/e

Evaporation rate : n/e

(n/e = not established)

(In compliance with EC/1907/2006 Article 31 and Annex II)

Revision Date: 26/7/2012

Revision Number: 0

Material/Trade Name: FOTOSPEED SEPIA TONER BLEACH (Part 1)

10 - Stability and Reactivity

Chemical Stability

Stable at normal temperatures and under recommended storage conditions.

Conditions to Avoid

Extreme temperature and direct sunlight, acidic environments

Materials to Avoid

Strong oxidising agents, acids, ammonia

Hazardous Decomposition Products

No hazardous decomposition products when stored and handled correctly. Contact with strong acids will liberate very toxic hydrogen cyanide gas

11 - Toxicological Information

Acute toxicity

Low toxicity by all routes. LD₅₀ (rat) for pure potassium bromide is 3070mg/kg., for potassium ferricyanide is 2970 mg/kg. Contact with acids liberates very toxic hydrogen cyanide gas which may be fatal if inhaled.

Skin corrosion/irritation

Not expected to cause any acute skin corrosion or irritation at concentrations present in product

Serious eye damage/eye irritation

Not expected to cause any acute eye damage or irritation at levels present in product; low level transient eye irritation may be possible following exposure.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present (as supplied) at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available.

Specific target organ toxicity - repeated exposure

No data available.

Potential health effects

Inhalation Excessive inhalation of vapours, aerosols or mists may cause mild, transient respiratory tract irritation.

Ingestion May be harmful if ingested in quantity.

Skin Repeated exposure may cause skin dryness or cracking.

Eyes May cause transient eye irritation.

Signs and Symptoms of Exposure

Ingestion of may cause severe nausea, vomiting and abdominal pain. Inhalation of liberated hydrogen cyanide may be fatal.

12 - Ecological Information

Toxicity

High concentrations may be harmful to aquatic organisms

Persistence and degradability

Not readily biodegradable.

Mobility in soil

Expected to be mobile.

PBT and vPvB assessment

No data available.

Bioaccumulative potential

No data available

Other adverse effects

No data available.

(In compliance with EC/1907/2006 Article 31 and Annex II)

Revision Date: 26/7/2012

Revision Number: 0

Material/Trade Name: FOTOSPEED SEPIA TONER BLEACH (Part 1)

13 -Disposal Considerations

Product

Material is classified as hazardous waste under the Hazardous Waste Regulations 2005 (as amended). Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14 -Transport Information

ADR/RID

Not Classified as hazardous for transport

IMDG

Not Classified as hazardous for transport

IATA

Not Classified as hazardous for transport

15 - Regulatory Information

Label Elements

No statutory safety labels are required for this material in accordance with the provisions of EC/1907/2006, EC/1272/2008 or 67/548/EEC as amended

Other Regulations

Health & Safety at Work etc. Act 1974

Control of Substances Hazardous to Health Regulations 2002 (as amended)

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009

Classification, Labelling and Packaging of Substances and Mixtures Regulations 2008 (as amended)

EH40/2005 Workplace Exposure Limits (as amended)

Environmental Protection Act 1990

Hazardous Waste Regulations 2005 (as amended)

16 - Other Information

Text of H-code(s) and R-phrase(s) mentioned in Section 3

H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
EUH032	Contact with acids liberate very toxic gas

R36/37/38	Irritating to eyes, respiratory system and skin
-----------	---

R32	Contact with acids liberate very toxic gas
-----	--

Recommended restrictions on use

Use in accordance with manufacturer's technical instructions. Avoid contact with acids.

Revision History

First Issue

Further Information

The information in this Safety Data Sheet should be provided to all who will use, handle, store, transport or otherwise be exposed to this product. This information has been prepared for the guidance of plant engineering, operations, management and for people working with or handling these products. This information is believed to be reliable and updated at Revision Date, and represents the best information currently available and known by Jay House Ltd. (Jay House). However, Jay House makes no guarantee or warranty, express or implied, with respect to such information and we assume no liability resulting from its use. The information related herein is based on proper handling and anticipated uses and is for the material without chemical additions or alterations. Users should make their own investigations to determine the suitability of the information for their particular purposes. It is the responsibility of the user to undertake a suitable risk assessment/COSHH assessment prior to using this material.

(In compliance with EC/1907/2006 Article 31 and Annex II)

Revision Date: 26/7/2012**Revision Number:** 0**Material/Trade Name:** SEPIA TONER (Part 2)**1 – Identification of Substance/Mixture and of the Company/Undertaking**

Material/Trade Name : Sepia Toner (Part 2)
Material type : Photographic process reagent
Company : Jay House Ltd
Address : 6B Park Lane Industrial Estate
 Park Lane
 Corsham
 SN13 9LG
Telephone : 01249 714555
Fax : 01249 714999
Internet : info@fotospeed.com

2 – Hazards Identification**Classification of the substance or mixture***According to Regulation (EC) No.1272/2008*

Carcinogenicity (Category 2)

H351 Suspected of causing cancer

Reproductive Toxicity (Category 2)

H361d Suspected of damaging the unborn child

Aquatic Chronic (Category 3)

H412 Harmful to aquatic life with long lasting effects

According to European Directive 67/548/EEC as amended

Xn; Harmful, N; Dangerous for the Environment

R40

Limited evidence of a carcinogenic effect

R63

Possible risk of harm to the unborn child

R52/53

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

3 – Composition/Information on Ingredients

CAS No.	EC No.	Index No.	Classification	Concentration
62-56-6	200-543-5	612-082-00-0	Carc. 2, Repr. 2, Acute Tox. 4, Aquatic Chronic 2 H351, H361d, H302, H411 Xn; R40-63-22 N; R51/53	3-5%

4 - First-aid Measures**Inhalation:**

Remove to fresh air and rest. If recovery is not rapid call for prompt medical attention. Show this safety data sheet to medical personnel.

Eyes

Irrigate with water for at least 15 minutes. Take care not to wash chemical from one eye to another. If irritation persists, obtain medical attention.

Skin

Remove contaminated clothing. Wash with soap/cleanser and rinse with plenty of water. If irritation persists, obtain medical attention.

Ingestion

Do not induce vomiting. Give plenty of water to drink. If feeling unwell seek prompt medical attention.

Revision Date: 26/7/2012**Revision Number:** 0**Material/Trade Name:** SEPIA TONER (Part 2)

5 - Fire-fighting Measures

Suitable Extinguishers

Use media such as alcohol/aqueous foam, dry chemical, or carbon dioxide or water spray/fog which are suitable and appropriate for any surrounding fire.

Unsuitable Extinguishers

None.

Hazardous Decomposition

May produce small amounts of toxic fumes and combustion products if involved in a fire, including oxides of sulphur, carbon and nitrogen.

Special Procedures/information for firefighters

Do not breathe decomposition products and fumes. Use approved self-contained breathing apparatus. Wear fire retardant clothing. Use water spray to cool containers. Prevent runoff from fire control from entering waterways. Large fires should only be dealt with by trained personnel.

6 - Accidental Release Measures

Personal Protection and Precautions

Use suitable personal protective equipment (refer to Section 8 for details). Avoid breathing vapours. Ensure adequate ventilation.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains or watercourses. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.

Containment, Cleaning up and Disposal Considerations

Absorb in inert material such as sand or non-combustible absorbent granules. Scoop up and place in plastic container to await transfer.

Refer to Section 13 for further information regarding disposal.

7 - Handling and Storage

Handling

Avoid inhalation of vapour or mist.

Storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

8 - Exposure Controls/Personal Protection

Occupational Exposure Limit: Not assigned

Respiratory Protection

Use in well ventilated areas. Use mechanical ventilation if possible. If inhalation is likely then use a respirator with filter type A to Standard EN14593/4, EN405 or equivalent

Hand Protection

Wear polythene, PVC or nitrile gloves to Standard EN 374 (breakthrough time for total immersion in excess of 8 hours).

Eye Protection

Wear suitable eye protection such as safety glasses or goggles to Standard BS EN 166 if splash or eye contact likely.

Skin Protection

Wear suitable overalls or apron and change if contaminated. After contact with skin wash off immediately. Wash hands before breaks and immediately after using the product.

9 - Physical & Chemical Properties

Appearance : Colourless liquid

Odour : None

pH : 7

Boiling point/range : <100°C

Melting point/range : n/e

Flash point : n/e

Flammability : NON FLAMMABLE

Autoflammability : n/e

Explosive properties : n/e

Oxidising properties : None

Vapour pressure : 23 hPa

Relative density : 1

Solubility : Miscible in water

Partition Coefficient : n/e

Vapour Density : n/e

Viscosity : n/e

Evaporation rate : n/e

(n/e = not established)

(In compliance with EC/1907/2006 Article 31 and Annex II)

Revision Date: 26/7/2012

Revision Number: 0

Material/Trade Name: SEPIA TONER (Part 2)

10 - Stability and Reactivity

Chemical Stability

Stable at normal temperatures and under recommended storage conditions.

Conditions to Avoid

Extreme temperature and direct sunlight

Materials to Avoid

Strong oxidising agents and strong acids

Hazardous Decomposition Products

No hazardous decomposition products when stored and handled correctly.

11 - Toxicological Information

Acute toxicity

LD50 Oral - rat - >2mg/kg, LD50 Dermal - rabbit - >2mg/kg

Skin corrosion/irritation

Not expected to cause any acute skin corrosion or irritation at concentrations present in product

Serious eye damage/eye irritation

Not expected to cause any acute eye damage or irritation at levels present in product; low level transient eye irritation may be possible following exposure.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Contains IARC Group 2 carcinogen (Thiourea).

Reproductive toxicity

Possible risk of harm to the unborn child and foetal development

Specific target organ toxicity - single exposure

No data available.

Specific target organ toxicity - repeated exposure

No data available.

Potential health effects

Inhalation Inhalation of vapours, aerosols or mists may cause mild, transient respiratory tract irritation.

Ingestion Harmful if ingested in quantity.

Skin May be harmful if absorbed through skin. May be absorbed through the skin.

Eyes May cause transient eye irritation.

Chronic effects Limited evidence of a carcinogenic effect. Possible risk of adverse effects on foetal development

Signs and Symptoms of Exposure

Ingestion of may cause severe nausea, vomiting and abdominal pain.

12 - Ecological Information

Toxicity

Harmful to aquatic life, may cause long-term adverse effects

Persistence and degradability

Persistent

Mobility in soil

Expected to be mobile.

PBT and vPvB assessment

No data available.

Bioaccumulative potential

No data available

Other adverse effects

No data available.

13 -Disposal Considerations

Product

Material is classified as hazardous waste under the Hazardous Waste Regulations 2005 as amended). Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

(In compliance with EC/1907/2006 Article 31 and Annex II)

Revision Date: 26/7/2012**Revision Number:** 0**Material/Trade Name:** SEPIA TONER (Part 2)

14 -Transport Information

ADR/RID	Not Classified as hazardous for transport
IMDG	Not Classified as hazardous for transport
IATA	Not Classified as hazardous for transport

Label Elements

Pictogram



Signal Word Warning

Hazard Statement(s)

H351	Suspected of causing cancer
H361d	Suspected of damaging the unborn child
H412	Harmful to aquatic life with long lasting effects

Precautionary statement(s)

P273	Avoid release to the environment.
P281	Use personal protective equipment as required.

Other Regulations

Health & Safety at Work etc. Act 1974

Control of Substances Hazardous to Health Regulations 2002 (as amended)

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009

Classification, Labelling and Packaging of Substances and Mixtures Regulations 2008 (as amended)

EH40/2005 Workplace Exposure Limits (as amended)

Environmental Protection Act 1990

Hazardous Waste Regulations 2005 (as amended)

16 - Other Information

Text of H-code(s) and R-phrase(s) mentioned in Section 3

H351	Suspected of causing cancer
H361d	Suspected of damaging the unborn child
H302	Harmful if swallowed
H411	Toxic to aquatic life with long lasting effects
R40	Limited evidence of a carcinogenic effect
R63	Possible risk of harm to the unborn child
R22	Harmful if swallowed
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Recommended restrictions on use

Use in accordance with manufacturer's technical instructions.

Revision History

First Issue

Further Information

The information in this Safety Data Sheet should be provided to all who will use, handle, store, transport or otherwise be exposed to this product. This information has been prepared for the guidance of plant engineering, operations, management and for people working with or handling these products. This information is believed to be reliable and updated at Revision Date, and represents the best information currently available and known by Jay House Ltd. (Jay House). However, Jay House makes no guarantee or warranty, express or implied, with respect to such information and we assume no liability resulting from its use. The information related herein is based on proper handling and anticipated uses and is for the material without chemical additions or alterations. Users should make their own investigations to determine the suitability of the information for their particular purposes. It is the responsibility of the user to undertake a suitable risk assessment/COSHH assessment prior to using this material.

(In compliance with EC/1907/2006 Article 31 and Annex II)

Revision Date: 26/7/2012**Revision Number:** 0**Material/Trade Name:** SEPIA TONER - ADDITIVE (Part 3)

1 – Identification of Substance/Mixture and of the Company/Undertaking

Material/Trade Name : Sepia Toner - Additive (Part 3)
Material type : Photographic process reagent
Company : Jay House Ltd
Address : 6B Park Lane Industrial Estate
Park Lane
Corsham
SN13 9LG
Telephone : 01249 714555
Fax : 01249 714999
Internet : info@fotospeed.com

2 – Hazards Identification

Classification of the substance or mixture

According to Regulation (EC) No.1272/2008

Skin Corrosion (Category 1A) H314 Causes severe skin burns and eye damage

According to European Directive 67/548/EEC as amended

C: Corrosive R35 Causes severe burns

3 – Composition/Information on Ingredients

CAS No.	EC No.	Index No.	Classification	Concentration
Sodium hydroxide				
1310-73-2	215-185-5	011-002-00-6	Skin Corr. 1A; H314 C; R35	8-10%

4 - First-aid Measures

Inhalation:

Remove to fresh air and rest. If recovery is not rapid call for prompt medical attention. Show this safety data sheet to medical personnel.

Eyes

Irrigate with water for at least 15 minutes. Take care not to wash chemical from one eye to another. Obtain immediate medical attention.

Skin

Remove contaminated clothing. Wash with soap/cleanser and rinse with plenty of water. If irritation persists or there are signs of skin damage obtain medical attention.

Ingestion

Do not induce vomiting - Seek immediate medical attention.

(In compliance with EC/1907/2006 Article 31 and Annex II)

Revision Date: 26/7/2012

Revision Number: 0

Material/Trade Name: SEPIA TONER - ADDITIVE (Part 3)

5 - Fire-fighting Measures

Suitable Extinguishers

Use media such as alcohol/aqueous foam, dry chemical, or carbon dioxide or water spray/fog which are suitable and appropriate for any surrounding fire.

Unsuitable Extinguishers

None.

Hazardous Decomposition

May produce small amounts of hazardous fumes if involved in a fire.

Special Procedures/information for firefighters

Do not breathe decomposition products and fumes. Use approved self-contained breathing apparatus. Wear fire retardant clothing. Use water spray to cool containers. Prevent runoff from fire control from entering waterways. Large fires should only be dealt with by trained personnel.

6 - Accidental Release Measures

Personal Protection and Precautions

Use suitable personal protective equipment (refer to Section 8 for details). Avoid breathing vapours. Ensure adequate ventilation.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains or watercourses.

Containment, Cleaning up and Disposal Considerations

Absorb in inert material such as sand or non-combustible absorbent granules

Scoop up and place in plastic container to await transfer

Refer to Section 13 for further information regarding disposal.

7 - Handling and Storage

Handling

Avoid inhalation of vapour or mist.

Storage

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place.

8 - Exposure Controls/Personal Protection

Occupational Exposure Limit: 2mg/m³ 8hrTWA WEL Sodium Hydroxide

Respiratory Protection

Use in well ventilated areas. Use mechanical ventilation if possible. If inhalation is likely then use a respirator with filter type P to Standard EN14387, EN149 or equivalent

Hand Protection

Wear polythene, PVC or nitrile gloves to Standard EN 374 (breakthrough time for total immersion in excess of 8 hours).

Eye Protection

Wear suitable eye protection such as safety glasses or goggles to Standard BS EN 166.

Skin Protection

Wear suitable overalls or apron and change if contaminated. After contact with skin wash off immediately. Wash hands before breaks and immediately after using the product.

9 - Physical & Chemical Properties

Appearance : Liquid

Odour : None

pH : Greater than 12.5

Boiling point/range : n/e

Melting point/range : n/e

Flash point : n/e

Flammability : NON FLAMMABLE

Autoflammability : n/e

Explosive properties : n/e

Oxidising properties : None

Vapour pressure: : n/e

Relative density : n/e

Solubility : Miscible in water

Partition Coefficient : n/e

Vapour Density : n/e

Viscosity : n/e

Evaporation rate : n/e

(n/e = not established)

(In compliance with EC/1907/2006 Article 31 and Annex II)

Revision Date: 26/7/2012

Revision Number: 0

Material/Trade Name: SEPIA TONER - ADDITIVE (Part 3)

10 - Stability and Reactivity

Chemical Stability

Stable at normal temperatures and under recommended storage conditions.

Conditions to Avoid

Extreme temperature and direct sunlight

Materials to Avoid

Strong oxidising agents

Hazardous Decomposition Products

No hazardous decomposition products when stored and handled correctly.

11 - Toxicological Information

Acute toxicity

No data available

Skin corrosion/irritation

Skin - Human - Severe skin irritation and chemical burns

Serious eye damage/eye irritation

Eyes - rabbit - Severe eye irritation, corneal burns and possible permanent blindness

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present (as supplied) at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available.

Specific target organ toxicity - repeated exposure

No data available.

Potential health effects

Inhalation Excessive inhalation of vapours, aerosols or mists will cause respiratory tract irritation.

Ingestion May be harmful if swallowed. Causes burns.

Skin. May be harmful if absorbed through skin. Causes skin burns.

Eyes Causes eye burns.

Signs and Symptoms of Exposure

Ingestion may cause nausea, vomiting, severe abdominal pain and convulsions. Without treatment, death may occur. Contact with skin, eyes and mucous membranes may lead to acute severe blistering, ulceration and chemical burns including permanent eye damage.

12 - Ecological Information

Toxicity

Strongly Alkaline solutions will be hazardous to aquatic life

Persistence and degradability

No data available

Mobility in soil

No data available

PBT and vPvB assessment

No data available

Bioaccumulative potential

Low

Other adverse effects

No data available.

13 - Disposal Considerations

Product

Material is classified as hazardous waste under the Hazardous Waste Regulations 2005 as amended). Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

(In compliance with EC/1907/2006 Article 31 and Annex II)

Revision Date: 26/7/2012

Revision Number: 0

Material/Trade Name: SEPIA TONER - ADDITIVE (Part 3)

14 -Transport Information

UN/SI Number: 1824

IMO: Class 8

Packing Group III

IATA/IACO Class 8

Packing Group III

ADR/RID Class 8

Packing Group III

HAZCHEM/Kemler Code:

2R/80

Transport Name: SODIUM HYDROXIDE SOLUTION

15 - Regulatory Information

Label Elements

Pictogram



Signal Word Danger

Hazard Statement(s)

H314 Causes severe skin burns and eye damage

Precautionary statement(s)

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician

Other Regulations

Health & Safety at Work etc. Act 1974

Control of Substances Hazardous to Health Regulations 2002 (as amended)

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009

Classification, Labelling and Packaging of Substances and Mixtures Regulations 2008 (as amended)

EH40/2005 Workplace Exposure Limits (as amended)

Environmental Protection Act 1990

Hazardous Waste Regulations 2005 (as amended)

16 - Other Information

Text of H-code(s) and R-phrase(s) mentioned in Section 3

H314 Causes severe skin burns and eye damage

R35 Causes severe burns

Recommended restrictions on use

Use in accordance with manufacturer's technical instructions.

Revision History

First Issue

Further Information

The information in this Safety Data Sheet should be provided to all who will use, handle, store, transport or otherwise be exposed to this product. This information has been prepared for the guidance of plant engineering, operations, management and for people working with or handling these products. This information is believed to be reliable and updated at Revision Date, and represents the best information currently available and known by Jay House Ltd. (Jay House). However, Jay House makes no guarantee or warranty, express or implied, with respect to such information and we assume no liability resulting from its use. The information related herein is based on proper handling and anticipated uses and is for the material without chemical additions or alterations. Users should make their own investigations to determine the suitability of the information for their particular purposes. It is the responsibility of the user to undertake a suitable risk assessment/COSHH assessment prior to using this material.