

Page 1/9

Revision: 22.08.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2022

Version number 5.0 (replaces version 4.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: FILM X-PRESS KIT 5L

· Article number: 914085_A · Registration number

Registration numbers of the individual components: see section 3.2, if applicable.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation: Photographic developer
- · Uses advised against

Only for professional use.

Do not use for private purposes (household).

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

FUJIFILM Belgium NV EUROPARK-NOORD 21-22

9100 SINT-NIKLAAS

BELGIUM

TEL: +32 3 760 02 00

- · Further information obtainable from: msds_eu@fujifilm.com
- · 1.4 Emergency telephone number: +49 (0) 2102 5364 137 (9:00 a.m. to 6 p.m.)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

potassium hydroxide

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Cont. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2022 Version number 5.0 (replaces version 4.0) Revision: 22.08.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 584-08-7 EINECS: 209-529-3 Reg.nr.: 01-2119532646-36- XXXX	potassium carbonate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	20-40%
CAS: 1310-58-3 EINECS: 215-181-3 Reg.nr.: 01-2119487136-33- XXXX	potassium hydroxide Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	5-10%
CAS: 140-01-2 EINECS: 205-391-3 Reg.nr.: 01-2119474445-33- XXXX	Diethylenetriaminepentaacetic acid, pentasodium salt STOT RE 2, H373; Acute Tox. 4, H332 ATE: LC50/4 h inhalative: 1.5 mg/l	1-5%
CAS: 7647-15-6 EINECS: 231-599-9 Reg.nr.: 01-2119490106-41- XXXX	sodium bromide Repr. 2, H361; STOT RE 2, H373; STOT SE 3, H336	0.5-1.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Cont. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2022 Version number 5.0 (replaces version 4.0) Revision: 22.08.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in cool, dry conditions in well sealed receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.
- · Storage class: 8 B

(Cont. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC. Article 31

Printing date 16.12.2022 Version number 5.0 (replaces version 4.0) Revision: 22.08.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

1310-58-3 potassium hydroxide

WEL Short-term value: 2 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Storing food in the working area is prohibited.

- **Respiratory protection:** Not necessary if room is well-ventilated.
- Hand protection



Protective gloves

Material of gloves

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness > 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness ≥ 0.38 mm, breakthrough time > 480 min) or neoprene (thickness ≥ 0.65 mm, breakthrough time > 240 min).

Eye/face protection



Safety glasses

The protective safety glasses to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN166.

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state

Fluid

· Colour:

Colourless

· Odour:

Characteristic

Odour threshold:

Not determined.

(Cont. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2022 Version number 5.0 (replaces version 4.0) Revision: 22.08.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 4)

· Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Ignition temperature: Not determined.
Decomposition temperature: Not determined.

· pH at 20 °C 14

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.
Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· **Auto-ignition temperature:** Product is not selfigniting.

• Explosive properties: Not determined.

· Solvent separation test:

· VOC (EC) 0.00 %

· Evaporation rate Not determined.

Information with regard to physical hazard

classes

· Explosives Not applicable · Flammable gases Not applicable · Aerosols Not applicable Oxidising gases Not applicable · Gases under pressure Not applicable · Flammable liquids Not applicable Flammable solids Not applicable · Self-reactive substances and mixtures Not applicable Not applicable · Pyrophoric liquids · Pyrophoric solids Not applicable · Self-heating substances and mixtures Not applicable

Substances and mixtures, which emit

flammable gases in contact with water

· Oxidising liquids

· Oxidising solids

Not applicable

Not applicable

Not applicable

(Cont. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2022 Version number 5.0 (replaces version 4.0) Revision: 22.08.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 5)

· Organic peroxides

Not applicable

Corrosive to metalsDesensitised explosives

May be corrosive to metals.

Not applicable

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No dangerous reactions known.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Reacts with strong acids.
- · 10.4 Conditions to avoid See "Fire Fighting measures".
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
584-08-7	584-08-7 potassium carbonate		
Oral	LD50	2,000 mg/kg (rat)	
1310-58-	3 potassiu	m hydroxide	
Oral	LD50	273 mg/kg (rat)	
140-01-2	140-01-2 Diethylenetriaminepentaacetic acid, pentasodium salt		
Inhalative	LC50/4 h	1.5 mg/l (ATE)	
7647-15-	7647-15-6 sodium bromide		
Oral	LD50	3,500 mg/kg (rat)	
Olai	12000	1 / 3 3 / /	

Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

__ =N-



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2022 Version number 5.0 (replaces version 4.0) Revision: 22.08.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

1310-58-3 potassium hydroxide

LC50/96 h 50-165 mg/l (fish)

EC50/48 h 30-1,000 mg/l (daphnia)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

- · Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA UN1814 · 14.2 UN proper shipping name · ADR 1814 POTASSIUM HYDROXIDE SOLUTION

(Cont. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2022 Version number 5.0 (replaces version 4.0) Revision: 22.08.2022

Trade name: FILM X-PRESS KIT 5L

	(Cont. from page
· IMDG, IATA	POTASSIUM HYDROXIDE SOLUTION
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code)	
· EMS Number: · Segregation groups	F-A,S-B Alkalis
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" SGG1-acids
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
Tuesday and a standay.	Maximum net quantity per outer packaging: 500 m
· Transport category · Tunnel restriction code	2 F
	L
· IMDG · Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
= nospios quantitioo (= a)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 m
· UN "Model Regulation":	UN 1814 POTASSIUM HYDROXIDE SOLUTION 8, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Cont. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.12.2022 Version number 5.0 (replaces version 4.0) Revision: 22.08.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 8)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Creation Date 11.08.2014

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

· * Data modified compared to previous version.



Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: FILM X-PRESS KIT 5L

· Article number: 914085_B · Registration number

Registration numbers of the individual components: see section 3.2, if applicable.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against -
- · Application of the substance / the preparation: Photographic developer
- · Uses advised against

Only for professional use.

Do not use for private purposes (household).

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

FUJIFILM Belgium NV EUROPARK-NOORD 21-22 9100 SINT-NIKLAAS

BELGIUM

TEL: +32 3 760 02 00

- · Further information obtainable from: msds_eu@fujifilm.com
- 1.4 Emergency telephone number: +49 (0) 2102 5364 137 (9:00 a.m. to 6 p.m.)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS07 GHS08

- · Signal word Warning
- · Hazard-determining components of labelling:

hydroxylamine sulphate

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Cont. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 1)

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P201 Obtain special instructions before use.

P260 Do not breathe vapours. P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components
--

CAS: 10039-54-0
EINECS: 233-118-8
Reg.nr.: 01-2119485971-25XXXX

hydroxylamine sulphate

Carc. 2, H351; STOT RE 2, H373; ♦ Met. Corr.1,
H290; ♠ Aquatic Acute 1, H400; ♠ Acute Tox. 4,
H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye
Irrit. 2, H319; Skin Sens. 1, H317

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

ΕN



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in cool, dry conditions in well sealed receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.
- · Storage class: 12

(Cont. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Storing food in the working area is prohibited.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.



Protective gloves

· Material of gloves

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness \geq 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness \geq 0.38 mm, breakthrough time > 480 min) or neoprene (thickness \geq 0.65 mm, breakthrough time > 240 min).

- As protection from splashes gloves made of the following materials are suitable:
- For intermittent splash protection corresponding gloves with breaktrough time > 60 min. can be used.
- · Not suitable are gloves made of the following materials: Natural rubber, NR
- · Eye/face protection



Safety glasses

The protective safety glasses to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN166.

· Body protection: Protective work clothing

FN -



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Colourless

Characteristic

Not determined.

Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Ignition temperature: Not determined.
Decomposition temperature: Not determined.

· pH at 20 °C 3.2

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.
• Vapour pressure: Not determined.

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent separation test:

· VOC (EC) 0.00 %
· Evaporation rate 0.00 %
Not determined.

· Information with regard to physical hazard

classes

· Explosives Not applicable · Flammable gases Not applicable · Aerosols Not applicable · Oxidising gases Not applicable · Gases under pressure Not applicable · Flammable liquids Not applicable · Flammable solids Not applicable Self-reactive substances and mixtures Not applicable

(Cont. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 5)

· Pyrophoric liquids	Not applicable
Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit	
flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
· Oxidising solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	Not applicable
· Desensitised explosives	Not applicable

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No dangerous reactions known.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid See "Fire Fighting measures".
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity

Suspected of causing cancer.

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- · **Aspiration hazard** Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

__ EN -



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 6)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Not applicable	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Not applicable	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Not applicable	
· 14.4 Packing group · ADR, IMDG, IATA	Not applicable	
		(Cont. on pag



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

		(Cont. from page 7)
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to		
IMO instruments	Not applicable.	
· UN "Model Regulation":	Not applicable	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

· Creation Date 23.07.2009

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

· * Data modified compared to previous version.



Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: FILM X-PRESS KIT 5L

· Article number: 914085_C · Registration number

Registration numbers of the individual components: see section 3.2, if applicable.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against -
- · Application of the substance / the preparation: Photographic developer
- · Uses advised against

Only for professional use.

Do not use for private purposes (household).

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

FUJIFILM Belgium NV **EUROPARK-NOORD 21-22** 9100 SINT-NIKLAAS

BELGIUM

TEL: +32 3 760 02 00

- · Further information obtainable from: msds_eu@fujifilm.com
- 1.4 Emergency telephone number: +49 (0) 2102 5364 137 (9:00 a.m. to 6 p.m.)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Acute Tox. 3 H301 Toxic if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms









· Signal word Danger

· Hazard-determining components of labelling:

(4-ammonio-m-tolyl)ethyl(2-hydroxyethyl)ammonium sulphate

Hazard statements

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H317 May cause an allergic skin reaction.

(Cont. on page 2)



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 1)

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe vapours.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

•	Dang	erous	com	ponents:
---	------	-------	-----	----------

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Cont. on page 3)



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 2)

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

 During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in cool, dry conditions in well sealed receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.
- · Storage class: 6.1 D
- · 7.3 Specific end use(s) No further relevant information available.

N -



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Storing food in the working area is prohibited.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.



Protective gloves

· Material of gloves

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness ≥ 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness ≥ 0.38 mm, breakthrough time > 480 min) or neoprene (thickness ≥ 0.65 mm, breakthrough time > 240 min).

- As protection from splashes gloves made of the following materials are suitable:
- For intermittent splash protection corresponding gloves with breaktrough time > 60 min. can be
- · Not suitable are gloves made of the following materials: Natural rubber, NR
- · Eye/face protection



Safety glasses

The protective safety glasses to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN166.

· Body protection: Protective work clothing

ΕN



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid
Yellow
Characteristic
Not determined.
Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Ignition temperature: Not determined.
Decomposition temperature: Not determined.

· pH at 20 °C 2.5

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.
• Vapour pressure: Not determined.

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent separation test:

· VOC (EC) 0.00 %
· Evaporation rate 0.00 %
Not determined.

· Information with regard to physical hazard

classes

· Explosives Not applicable · Flammable gases Not applicable · Aerosols Not applicable · Oxidising gases Not applicable · Gases under pressure Not applicable · Flammable liquids Not applicable · Flammable solids Not applicable Self-reactive substances and mixtures Not applicable

(Cont. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 5)

Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Not applicable
 Not applicable

· Substances and mixtures, which emit flammable gases in contact with water

flammable gases in contact with water

· Oxidising liquids

· Oxidising solids

· Organic peroxides

Not applicable

Not applicable

Not applicable

· Corrosive to metals May be corrosive to metals.

· Desensitised explosives Not applicable

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No dangerous reactions known.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid See "Fire Fighting measures".
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Toxic if swallowed.

· LD/LC50 values relevant for classification:

25646-77-9 (4-ammonio-m-tolyl)ethyl(2-hydroxyethyl)ammonium sulphate

Oral LD50 35 mg/kg (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

EN



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 6)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN2922	
· 14.2 UN proper shipping name · ADR	2922 CORROSIVE LIQUID, TOXIC, N.O.S. (ORGANIC AMINE SULPHATE), ENVIRONMENTALLY HAZARDOUS	

(Cont. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

	(Cont. from page
· IMDG, IATA	CORROSIVE LIQUID, TOXIC, N.O.S. (ORGANIC AMINE SULPHATE)
· 14.3 Transport hazard class(es)	
ADR	
	8 Corrosive substances. 8+6.1
· IMDG	
· Class · Label	8 Corrosive substances. 8/6.1
· IATA	
· Class	8 Corrosive substances. 8 (6.1)
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardou
14.0 Environmental nazaras.	substances: (4-ammonio-m-tolyl)ethyl(2
· Marine pollutant:	substances: (4-ammonio-m-tolyl)ethyl(2 hydroxyethyl)ammonium sulphate Yes
· Marine pollutant: · Special marking (ADR):	substances: (4-ammonio-m-tolyl)ethyl(2 hydroxyethyl)ammonium sulphate Yes Symbol (fish and tree)
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user	substances: (4-ammonio-m-tolyl)ethyl(2 hydroxyethyl)ammonium sulphate Yes Symbol (fish and tree) Warning: Corrosive substances.
· Marine pollutant: · Special marking (ADR):	substances: (4-ammonio-m-tolyl)ethyl(2 hydroxyethyl)ammonium sulphate Yes Symbol (fish and tree) Warning: Corrosive substances.
 Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	substances: (4-ammonio-m-tolyl)ethyl(2 hydroxyethyl)ammonium sulphate Yes Symbol (fish and tree) Warning: Corrosive substances. 86 F-A,S-B
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	substances: (4-ammonio-m-tolyl)ethyl(2 hydroxyethyl)ammonium sulphate Yes Symbol (fish and tree) Warning: Corrosive substances. 86 F-A,S-B
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	substances: (4-ammonio-m-tolyl)ethyl(2 hydroxyethyl)ammonium sulphate Yes Symbol (fish and tree) Warning: Corrosive substances. 86 F-A,S-B
 Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code 14.7 Maritime transport in bulk according to IMO instruments 	substances: (4-ammonio-m-tolyl)ethyl(2 hydroxyethyl)ammonium sulphate Yes Symbol (fish and tree) Warning: Corrosive substances. 86 F-A,S-B B SW2 Clear of living quarters.
 Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code 14.7 Maritime transport in bulk according to 	substances: (4-ammonio-m-tolyl)ethyl(2 hydroxyethyl)ammonium sulphate Yes Symbol (fish and tree) Warning: Corrosive substances. 86 F-A,S-B B SW2 Clear of living quarters.



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

	(Cont. from page 8)
· Transport category · Tunnel restriction code	ml 3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (ORGANIC AMINE SULPHATE), 8 (6.1), III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category

H2 ACUTE TOXIC

E2 Hazardous to the Aquatic Environment

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Creation Date 23.07.2009
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Cont. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 1.0 Revision: 05.06.2019

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 9)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 3: Acute toxicity - Category 3

Skin Sens. 1: Skin sensitisation – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· * Data modified compared to previous version.



Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 26.04.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: FILM X-PRESS KIT 5L

· Article number: 914085_D · Registration number

Registration numbers of the individual components: see section 3.2, if applicable.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation: Photographic bleaching bath
- · Uses advised against

Only for professional use.

Do not use for private purposes (household).

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

FUJIFILM Belgium NV EUROPARK-NOORD 21-22

9100 SINT-NIKLAAS

BELGIUM

TEL: +32 3 760 02 00

- · Further information obtainable from: msds_eu@fujifilm.com
- · 1.4 Emergency telephone number: +49 (0) 2102 5364 137 (9:00 a.m. to 6 p.m.)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Repr. 2 H361 Suspected of damaging fertility or the unborn child. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





GHS05 GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

glycollic acid

ammonium bromide

· Hazard statements

H314 Causes severe skin burns and eye damage.

H361 Suspected of damaging fertility or the unborn child.

(Cont. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 26.04.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 1)

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P201 Obtain special instructions before use. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 111687-36-6 ELINCS: 400-660-3	ferric ammonium PDTA Aquatic Chronic 2, H411	5-10%
CAS: 12124-97-9 EINECS: 235-183-8 Reg.nr.: 01-2119931350-50- XXXX	ammonium bromide Repr. 2, H361; STOT RE 2, H373; DESCRIPTION Eye Irrit. 2, H319; STOT SE 3, H336	3-7%
CAS: 79-14-1 EINECS: 201-180-5 Reg.nr.: 01-2119485579-17- XXXX	glycollic acid Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H332, EUH071	≥5-≤7%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Cont. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 26.04.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 2)

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in cool, dry conditions in well sealed receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.
- · Storage class: 8 B

(Cont. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 26.04.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

111687-36-6 ferric ammonium PDTA

WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³

as Fe

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Storing food in the working area is prohibited.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves

· Material of gloves

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness ≥ 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness ≥ 0.38 mm, breakthrough time > 480 min) or neoprene (thickness ≥ 0.65 mm, breakthrough time > 240 min).

· Eye/face protection



Safety glasses

The protective safety glasses to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN166.

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information
- · Physical state

Fluid

· Colour: Amber coloured

(Cont. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 26.04.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 4)

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Ignition temperature: Not determined.
Decomposition temperature: Not determined.

· pH at 20 °C 4.8

· Viscosity:

Kinematic viscosity Dynamic: Not determined. Not determined.

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.
• Vapour pressure: Not determined.

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Not determined.

· Solvent separation test:

· VOC (EC) 0.01 %

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Not applicable · Flammable gases Not applicable · Aerosols Not applicable Not applicable · Oxidising gases · Gases under pressure Not applicable Flammable liquids Not applicable · Flammable solids Not applicable · Self-reactive substances and mixtures Not applicable · Pyrophoric liquids Not applicable · Pyrophoric solids Not applicable Self-heating substances and mixtures Not applicable

· Substances and mixtures, which emit

flammable gases in contact with water Not applicable

(Cont. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 26.04.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 5)

· Oxidising liquids	Not applicable
· Oxidising solids	Not applicable
· Organic peroxides	Not applicable
Corrosive to metals	Not applicable
 Desensitised explosives 	Not applicable

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid

See "Fire Fighting measures".

Protect from heat and direct sunlight.

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50 values relevant for classification:			
79-14-1	glycollic a	ncid	
Oral	LD50	1,950 mg/kg (rat)	

Inhalative LC50/4 h 3.6 mg/l (rat)

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Reproductive toxicity Suspected of damaging fertility or the unborn child.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Cont. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 26.04.2022

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 6)

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Harmful to aquatic organisms

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1760	
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1760 CORROSIVE LIQUID, N.O.S. (glycollic acid) CORROSIVE LIQUID, N.O.S. (glycollic acid)	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA		
· Class	8 Corrosive substances.	
· Label	8	
· 14.4 Packing group · ADR, IMDG, IATA	III	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user · Hazard identification number (Kemler c	Warning: Corrosive substances.	
	(Cont. on page	

(Cont. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 26.04.2022

Trade name: FILM X-PRESS KIT 5L

	(Cont. from page
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to)
IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
, ,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
	ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
	ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S
-	(GLYCOLLIC ACID), 8, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

(Cont. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 26.04.2022

Trade name: FILM X-PRESS KIT

(Cont. from page 8)

EUH071 Corrosive to the respiratory tract.

· Creation Date 29.03.2021

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Repr. 2: Reproductive toxicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

· * Data modified compared to previous version.





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022

Version number 2.0 (replaces version 1.0)

Revision: 26.08.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: FILM X-PRESS KIT 5L

· Article number: 914085_E · Registration number

Registration numbers of the individual components: see section 3.2, if applicable.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against -
- · Application of the substance / the preparation: Photographic fixer
- · Uses advised against

Only for professional use.

Do not use for private purposes (household).

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

FUJIFILM Belgium NV EUROPARK-NOORD 21-22 9100 SINT-NIKLAAS

BELGIUM

TEL: +32 3 760 02 00

- · Further information obtainable from: msds_eu@fujifilm.com
- · 1.4 Emergency telephone number: +49 (0) 2102 5364 137 (9:00 a.m. to 6 p.m.)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Not applicable
- · Hazard pictograms Not applicable
- · Signal word Not applicable
- · Hazard statements Not applicable
- · Additional information:

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 10192-30-0 EINECS: 233-469-7

Reg.nr.: 01-2119537321-49-

XXXX

ammonium hydrogensulphite Eye Irrit. 2, H319, EUH031 1-5%

(Cont. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 2.0 (replaces version 1.0) Revision: 26.08.2021

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 1)

CAS: 140-01-2 EINECS: 205-391-3 Diethylenetriaminepentaacetic acid, pentasodium salt 🕸 STOT RE 2, H373; 😲 Acute Tox. 4, H332

1-5%

Reg.nr.: 01-2119474445-33-XXXX

ATE: LC50/4 h inhalative: 1.5 mg/l

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Cont. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 2.0 (replaces version 1.0) Revision: 26.08.2021

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in cool, dry conditions in well sealed receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Storing food in the working area is prohibited.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.



Protective gloves

· Material of gloves

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness \geq 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness \geq 0.38 mm, breakthrough time > 480 min) or neoprene (thickness \geq 0.65 mm, breakthrough time > 240 min).

· As protection from splashes gloves made of the following materials are suitable: For intermittent splash protection corresponding gloves with breaktrough time > 60 min. can be used.

(Cont. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 2.0 (replaces version 1.0) Revision: 26.08.2021

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 3)

- · Not suitable are gloves made of the following materials: Natural rubber, NR
- · Eye/face protection



Safety glasses

The protective safety glasses to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN166.

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Ddour:
Odour threshold:
Melting point/freezing point:

Fluid

Light yellow

Characteristic

Not determined.

Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Ignition temperature: Not determined.
Decomposition temperature: Not determined.

· pH at 20 °C 7.7

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.

• Vapour pressure: Not determined.

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· **Auto-ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

(Cont. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 2.0 (replaces version 1.0) Revision: 26.08.2021

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 4)

· Solvent separation test:

· VOC (EC) 0.00%

· Evaporation rate Not determined.

Information with regard to physical hazard

classes · Explosives Not applicable Flammable gases Not applicable · Aerosols Not applicable · Oxidising gases Not applicable · Gases under pressure Not applicable Flammable liquids Not applicable Flammable solids Not applicable · Self-reactive substances and mixtures Not applicable · Pyrophoric liquids Not applicable · Pyrophoric solids Not applicable · Self-heating substances and mixtures Not applicable

· Substances and mixtures, which emit

flammable gases in contact with water Not applicable **Oxidising liquids** Not applicable Oxidising solids Not applicable Organic peroxides Not applicable Corrosive to metals Not applicable Desensitised explosives Not applicable

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No dangerous reactions known.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid See "Fire Fighting measures".
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

140-01-2 Diethylenetriaminepentaacetic acid, pentasodium salt

Inhalative LC50/4 h 1.5 mg/l (ATE)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Cont. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 2.0 (replaces version 1.0) Revision: 26.08.2021

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 5)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, ADN, IMDG, IATA

Not applicable

(Cont. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 2.0 (replaces version 1.0) Revision: 26.08.2021

Trade name: FILM X-PRESS KIT 5L

		(Cont. from page
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Not applicable	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
Class	Not applicable	
· 14.4 Packing group		
ADR, IMDG, IATA	Not applicable	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordi	ng to	
IMO instruments	Not applicable.	
· UN "Model Regulation":	Not applicable	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

EUH031 Contact with acids liberates toxic gas.

· Creation Date 23.07.2009

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

(Cont. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022 Version number 2.0 (replaces version 1.0) Revision: 26.08.2021

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 7)

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· * Data modified compared to previous version.

EN -



Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022

Version number 4.0 (replaces version 3.0)

Revision: 10.02.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: FILM X-PRESS KIT 5L

· Article number: 914085_F · Registration number

Registration numbers of the individual components: see section 3.2, if applicable.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against -
- · Application of the substance / the preparation: Photographic solution
- · Uses advised against

Only for professional use.

Do not use for private purposes (household).

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

FUJIFILM Belgium NV EUROPARK-NOORD 21-22 9100 SINT-NIKLAAS

BELGIUM

TEL: +32 3 760 02 00

- · Further information obtainable from: msds_eu@fujifilm.com
- · 1.4 Emergency telephone number: +49 (0) 2102 5364 137 (9:00 a.m. to 6 p.m.)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

2-methyl-2H-isothiazol-3-one

1,2-benzisothiazol-3(2H)-one

· Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

(Cont. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 10.02.2020

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 1)

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compor	nents:	
EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	≥0.25-<1%
EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; ♠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ♠ Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.25-<1%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: None.

(Cont. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 10.02.2020

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 2)

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in cool, dry conditions in well sealed receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · **Appropriate engineering controls** No further data; see item 7.

(Cont. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 10.02.2020

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 3)

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Storing food in the working area is prohibited.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials:

Nitrile rubber (tickness ≥ 0,38 mm, breaktrough time > 480 min.).

Neoprene (tickness ≥ 0,65 mm, breaktrough time > 240 min.).

Butyl rubber (tickness ≥ 0,36 mm, breaktrough time > 480 min.).

For intermittent splash protection corresponding gloves with breaktrough time > 60 min. can be used.

Avoid gloves made of natural rubber

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.



Protective gloves

· Material of gloves

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness ≥ 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness ≥ 0.38 mm, breakthrough time > 480 min) or neoprene (thickness ≥ 0.65 mm, breakthrough time > 240 min).

· As protection from splashes gloves made of the following materials are suitable:

For intermittent splash protection corresponding gloves with breaktrough time > 60 min. can be used.

- · Not suitable are gloves made of the following materials: Natural rubber, NR
- Eye/face protection

Use chemical safety goggles.

Eve wash fountain should be located in immediate work area



Safety glasses

The protective safety glasses to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN166.

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Physical state

Fluid

· Colour: Light yellow

(Cont. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 10.02.2020

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 4)

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range 100 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Ignition temperature: Not determined.
Decomposition temperature: Not determined.

· pH at 20 °C 8.6

· Viscosity:

Kinematic viscosity Dynamic: Not determined. Not determined.

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Auto-ignition temperature: Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

· Solvent separation test:

· VOC (EC) 0.00 %

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Not applicable · Flammable gases Not applicable · Aerosols Not applicable Not applicable · Oxidising gases · Gases under pressure Not applicable Flammable liquids Not applicable · Flammable solids Not applicable · Self-reactive substances and mixtures Not applicable · Pyrophoric liquids Not applicable · Pyrophoric solids Not applicable Self-heating substances and mixtures Not applicable

· Substances and mixtures, which emit

flammable gases in contact with water Not applicable

(Cont. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 10.02.2020

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 5)

· Oxidising liquids	Not applicable
Oxidising solids	Not applicable
· Organic peroxides	Not applicable
Corrosive to metals	Not applicable
 Desensitised explosives 	Not applicable

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No dangerous reactions known.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid See "Fire Fighting measures".
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

2682-20-4 2-methyl-2H-isothiazol-3-one

Oral LD50 285 mg/kg (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Cont. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 10.02.2020

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 6)

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informat	tion	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Not applicable	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Not applicable	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Not applicable	
· 14.4 Packing group · ADR, IMDG, IATA	Not applicable	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.	
· UN "Model Regulation":	Not applicable	

ΕN



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.12.2022 Version number 4.0 (replaces version 3.0) Revision: 10.02.2020

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 7)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Creation Date 28.09.2009

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 4. Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data modified compared to previous version.