

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.01.2013

Version number 1

Revision: 10.01.2013

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

Trade name: CHROME 6X KIT 5L

· Article number: 979641 G

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against -
- Application of the substance / the preparation: Photographic fixer
- · 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: FUJIFILM Belgium NV EUROPARK NOORD 21-25 9100 SINT-NIKLAAS BELGIUM TEL: +32 3 760 02 00 FAX: +32 3 776 91 22

• Further information obtainable from: ehs@fujifilm.eu

• 1.4 Emergency telephone number: +32 3 760 02 00 (office hour: 8u-16u30)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- Information concerning particular hazards for human and environment:
 The product does not have to be labelled due to the calculation procedure of

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. • Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

- Special labelling of certain preparations: Safety data sheet available for professional user on request.
- · 2.3 Other hazards
- \cdot Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

(Cont. on page 2)

GB –



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.01.2013

Version number 1

5L

Revision: 10.01.2013

Trade name: CHROME 6X KIT

| | (Cont. fro | m page ? |
|--|--|----------|
| · Dangerous components: | | |
| CAS: 7757-83-7 EINECS: 231-821-4 Reg.nr.: 01-2119537420-49 | sodium sulphite Acute Tox. 4, H302 | 3-5% |
| CAS: 10192-30-0 EINECS: 233-469-7 | ammonium hydrogensulphite C R34 R31 Skin Corr. 1B, H314 | 1-<3% |
| CAS: 140-01-2 EINECS: 205-391-3 | N,N-bis(2-(bis(carboxymethyl)amino)ethyl)glycine, pentasodium salt Xn R20-63 Repr. 2, H361; () Acute Tox. 4, H332 | 1-<3% |

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- \cdot 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- 6.2 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

 \cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Cont. on page 3)

GB



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.01.2013

Version number 1

Revision: 10.01.2013

(Cont. from page 2)

Trade name: CHROME 6X KIT

• 6.4 Reference to other sections No dangerous substances are released.

5L

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required. Ensure good ventilation/exhaustion at the workplace. Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated clothing Do not eat or drink while working.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle. Store in cool, dry conditions in well sealed receptacles.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from frost.
- Storing food in the working area is prohibited.
- Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.

Material of gloves

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness ≥ 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness ≥ 0.38 mm, breakthrough time > 480 min) or neoprene (thickness ≥ 0.65 mm, breakthrough time > 240 min).

(Cont. on page 4)



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.01.2013

Version number 1

Revision: 10.01.2013

Trade name: CHROME 6X KIT

(Cont. from page 3) • As protection from splashes gloves made of the following materials are suitable: For intermittent splash protection corresponding gloves with breaktrough time > 60 min. can be used.

• Not suitable are gloves made of the following materials: Natural rubber, NR

5L

· Eye protection:



Safety glasses

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

| Appearance: Form: | Liquid |
|----------------------------------|---|
| Colour: | Light yellow |
| Odour: | Characteristic |
| Odour threshold: | Not determined. |
| pH-value at 20℃: | 7.7 |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | Undetermined. |
| Flash point: | Not applicable. |
| Flammability (solid, gaseous): | Not applicable. |
| Ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined. |
| Self-igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapour pressure: | Not determined. |
| Density at 20℃: | 1.347 g/cm ³ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| water: | Fully miscible. |



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

| Printing date 10.01.2013 | Version number 1 | Revision: 10.01.2013 |
|---------------------------|--|----------------------|
| Trade name: CHROME 6X KIT | 5L | |
| | | (Cont. from page 4) |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| VOC (EC) | 0.00 % | |
| • 9.2 Other information | No further relevant information availa | ble. |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Cont. on page 6)

GB



Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.01.2013

Version number 1

Revision: 10.01.2013

(Cont. from page 5)

Trade name: CHROME 6X KIT

· **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

5L

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• **Recommendation** Smaller quantities can be disposed of with household waste.

· European waste catalogue

09 00 00 WASTES FROM THE PHOTOGRAPHIC INDUSTRY

09 01 00 wastes from the photographic industry

09 01 04* fixer solutions

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

| SECTION 14: Transport information | | |
|--|-------------------------|--|
| · 14.1 UN-Number · ADR, ADN, IMDG, IATA | Void | |
| · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| 14.4 Packing group ADR, IMDG, IATA | Void | |
| · 14.5 Environmental hazards: · Marine pollutant: | No | |
| · 14.6 Special precautions for user | Not applicable. | |
| 14.7 Transport in bulk according to Anne of MARPOL73/78 and the IBC Code | x II Not applicable. | |

SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. (Cont. on page 7)

GB



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.01.2013

Version number 1

5L

Revision: 10.01.2013

Trade name: CHROME 6X KIT

| | (Cont. from page |
|---|------------------|
| · Relevant phrases | |
| H302 Harmful if swallowed. | |
| H314 Causes severe skin burns and eye damage. | |
| H332 Harmful if inhaled. | |
| H361 Suspected of damaging fertility or the unborn child. | |
| R20 Harmful by inhalation. | |
| R31 Contact with acids liberates toxic gas. | |
| R34 Causes burns. | |
| R63 Possible risk of harm to the unborn child. | |
| Creation Date 23.07.2009 | |
| • * Data modified compared to previous version. | |