Revision Date: 02/07/2014 Z17000000252/Version: 2.1 Print Date: 05/20/2014 Kodak alaris

Page: 1/12

# 1. Identification of the substance/mixture and of the company/undertaking

Product name: Ektacolor Bleach Fix Replenisher, Part B

Product code: 6601629 - Part B

Synonyms: PCD 5777

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: photographic processing chemical (bleach/bleach fixer). For industrial use only.

Supplier: Kodak Alaris Inc., 2400 Mount Read Boulevard, Rochester, NY 14615

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, email kes@kodak.com.

#### 2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class	Hazard category	Route of exposure
Corrosive to metals	Category 1	
Serious eye damage/eye irritation	Category 2A	
Skin corrosion/irritation	Category 2	
Respiratory sensitisation	Category 1	

#### **GHS-Labelling**

#### Contains:

Ammonium ferric ethylenediaminetetraacetic acid (21265-50-9), Acetic acid (64-19-7)

#### Symbol(s):



Signal word: Danger

Revision Date: 02/07/2014 Z17000000252/Version: 2.1 Print Date: 05/20/2014

Page: 2/12

**Hazard statements:** May be corrosive to metals. Causes serious eye irritation. Causes skin irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

### Precautionary statements:

**Prevention:** Keep only in original container. Wear respiratory protection. Wear protective gloves/eye protection/face protection. Wash thoroughly after handling. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of soap and water. Absorb spillage to prevent material damage.

Storage: Store in corrosive resistant container with resistant inliner.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulation.

HMIS III Hazard Ratings: Health - 2, Flammability - 1, Physical Hazard - 0

NFPA Hazard Ratings: Health - 3, Flammability - 1, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

# 3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
70 - 75	Water (7732-18-5)
20 - 25	Ammonium ferric ethylenediaminetetraacetic acid (21265-50-9)
1 - 5	Acetic acid (64-19-7)

#### 4. First aid measures

**Inhalation:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician.

Revision Date: 02/07/2014 Z17000000252/Version: 2.1 Print Date: 05/20/2014

Page: 3/12

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

**Skin:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Ingestion: Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: No information available.

### 5. Firefighting measures

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

**Hazardous Combustion Products:** Carbon oxides, Nitrogen oxides (NOx), (see also Hazardous Decomposition Products sections.)

**Special Fire-Fighting Procedures:** Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Unusual Fire and Explosion Hazards: None.

#### 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** Refer to protective measures listed in sections 7 and 8.

**Methods and materials for containment and cleaning up:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

**Environmental precautions:** No information available.

#### 7. Handling and storage

### Precautions for safe handling

Revision Date: 02/07/2014 Z17000000252/Version: 2.1 Print Date: 05/20/2014

Page: 4/12

**Personal precautions:** Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials.

**Conditions for safe storage, including any incompatibilities:** Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

# 8. Exposure controls/personal protection

# Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Ammonium ferric ethylenediaminetetra acetic acid	ACGIH	time weighted average	1 mg/m3
			Expressed as Fe
Acetic acid		time weighted average	10 ppm
		Short term exposure limit	15 ppm
	OSHA	time weighted average	10 ppm 25 mg/m3

**Appropriate engineering controls:** Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

#### Individual protection measures, such as personal protective equipment

Eye protection: Wear eye/face protection.

Hand protection: Wear protective gloves.

**Respiratory protection:** None should be needed. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: full-face organic vapour cartridge. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

#### 9. Physical and chemical properties

Physical form: liquid

Colour: reddish-brown

Revision Date: 02/07/2014 Z17000000252/Version: 2.1 Print Date: 05/20/2014

Page: 5/12

Odour: slight ammonia

Specific gravity: 1.10

Vapour pressure (at 20.0 °C (68.0 °F)): 24 mbar (18.0 mm Hg)

Vapour density: 0.6

Boiling point/boiling range: > 100 °C (> 212.0 °F)

Water solubility: complete

pH: 5.6

Flash point: does not flash

Evaporation rate: No data available

Flammability (Solid; gas): No data available

Upper explosion limit: No data available

Lower explosion limit: No data available

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

# 10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Revision Date: 02/07/2014 Z17000000252/Version: 2.1 Print Date: 05/20/2014

Page: 6/12

Conditions to avoid: No data available

**Incompatible materials:** Strong bases, sodium hypochlorite (bleach), Oxidizing agents, Metals. Contact with sodium hypochlorite (bleach) may form chloramine (toxic gas). Contact with strong bases may liberate ammonia.

Hazardous decomposition products: Ammonia, chloramine, Nitrogen oxides (NOx)

#### 11. Toxicological information

#### **Effects of Exposure**

#### General advice:

Contains: Ammonium ferric ethylenediaminetetraacetic acid. This compound can chelate metals and may alter calcium and other cation balances.

Contains: Acetic acid. Acute overexposure to extremely high airborne concentrations of respiratory irritants has been associated with development of an asthma-like reactive airways syndrome (RADS) in susceptible individuals. Extremely high airborne concentrations are not generated during normal conditions of use but may occur following a spill. The potential to generate extremely high airborne concentrations in a spill situation depends upon physical factors such as the concentration of the solution, the volume of the spill, the surface area of the spill, the size of the room where the spill occurred, and the ventilation rate in the room.

Inhalation: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Eyes: Causes serious eye irritation.

Skin: Causes skin irritation.

Ingestion: Expected to be a low ingestion hazard.

# Data for Acetic acid (CAS 64-19-7):

#### Acute Toxicity Data:

Oral LD50 (rat): 3,310 - 3,530 mg/kg

Inhalation LC50 (rat): 11.4 mg/l 4641 ppm / 4 hr

Dermal LD50: 1,060 mg/kg

Skin irritation: severe

Eye irritation (washed eyes): severeEye irritation (unwashed eyes): severe

#### 12. Ecological information

Revision Date: 02/07/2014 Z17000000252/Version: 2.1 Print Date: 05/20/2014

Page: 7/12

The following properties are ESTIMATED from the components of the preparations.

#### **Potential Toxicity:**

Toxicity to fish (LC50):

> 100 mg/l

Toxicity to daphnia (EC50):

> 100 mg/l

Persistence and degradability:

Readily biodegradable.

#### Bioaccumulative potential

No data available

#### Mobility in soil

No information available.

### 13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

# 14. Transport information

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

IATA:

UN number:

UN3265

Proper shipping name:

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(Acetic acid)

Class:

8

Packaging group:

Ш

IMDG:

UN number:

UN3265

Proper shipping name:

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(Acetic acid)

Class

8

Packaging group:

Ш

US DOT:

UN number:

UN3265

Revision Date: 02/07/2014 Z17000000252/Version: 2.1 Print Date: 05/20/2014

Page: 8/12

Proper shipping name:

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(Acetic acid)

Class:

8

Packaging group:

III

For more transportation information, go to: www.kodak.com/go/ship.

# 15. Regulatory information

#### **Notification status**

Regulatory List	Notification status
TSCA	All listed
DSL	Not all listed
NDSL	Listed
EINECS	All listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	Not all listed
ECI	Not all listed
NZIoC	All listed
PICCS	All listed

<sup>&</sup>quot;Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

#### Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH):

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

International Agency for Research on Cancer (IARC):

No component of this product present at levels greater than or equal to 0.1% is identified as probable,

Revision Date: 02/07/2014 Z17000000252/Version: 2.1 Print Date: 05/20/2014

Page: 9/12

	possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
U.S CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Acetic acid
U.S CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements.
U.S CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Ammonium ferric ethylenediaminetetraacetic acid
U.S California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Ammonium ferric ethylenediaminetetraacetic acid , Acetic acid
U.S California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	Acetic acid
U.S Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	Ammonium ferric ethylenediaminetetraacetic acid ,

Revision Date: 02/07/2014 Z17000000252/Version: 2.1 Print Date: 05/20/2014

Page: 10/12

Acetic acid

U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):

Acetic acid

U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):

Water , Ammonium ferric ethylenediaminetetraacetic acid , Acetic acid

#### 16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

#### **US/Canadian Label Statements:**

#### Ektacolor Bleach Fix Replenisher, Part B

#### Contains:

Ammonium ferric ethylenediaminetetraacetic acid (21265-50-9), Acetic acid (64-19-7)

#### Symbol(s):



Signal word: Danger

**Hazard statements:** May be corrosive to metals. Causes serious eye irritation. Causes skin irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### **Precautionary statements:**

**Prevention:** Keep only in original container. Wear respiratory protection. Wear protective gloves/eye protection/face protection. Wash thoroughly after handling. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

**Response:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. If skin irritation

Revision Date: 02/07/2014 Z17000000252/Version: 2.1 Print Date: 05/20/2014

Page: 11/12

occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of soap and water. Absorb spillage to prevent material damage.

Storage: Store in corrosive resistant container with resistant inliner.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulation.

FIRST AID: If symptomatic, move to fresh air. Any material that contacts the eye should be washed out immediately with water. Wash off with soap and water. Get medical attention if symptoms occur. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. IN CASE OF FIRE: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. IN CASE OF SPILL: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-2, S-2, F-1, C-0

Revision Date: 02/07/2014 Z17000000252/Version: 2.1 Print Date: 05/20/2014

Page: 12/12

Revision Date: 02/06/2014 000000015336/Version: 3.1 Print Date: 05/20/2014 Kodak alaris

Page: 1/12

# 1. Identification of the substance/mixture and of the company/undertaking

Product name: Ektacolor Bleach Fix Replenisher, Part A

Product code: 6601629 - Part A

Synonyms: PCD F6565

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: photographic processing chemical (bleach/bleach fixer). For industrial use only.

Supplier: Kodak Alaris Inc., 2400 Mount Read Boulevard, Rochester, NY 14615

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, email kes@kodak.com.

#### 2. Hazards identification

### Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class	Hazard category	Route of exposure
Acute toxicity	Category 4	Oral
Skin irritation	Category 2	
Eye irritation	Category 2A	

### **GHS-Labelling**

#### Contains:

Ammonium thiosulphate (7783-18-8), Ammonium bisulphite (10192-30-0), Sodium bisulphite (7631-90-5), Ammonium sulphite (10196-04-0)

#### Symbol(s):



Signal word: Warning

Revision Date: 02/06/2014 000000015336/Version: 3.1 Print Date: 05/20/2014

Page: 2/12

#### Hazard statements:

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

Hazard statements:

#### Precautionary statements:

**Prevention:** Wear protective gloves/eye protection/face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

Storage: Store in a well-ventilated place. Keep cool.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulation.

#### Other hazards which do not result in classification:

Dried product residue can act as a reducing agent.

HMIS III Hazard Ratings: Health - 1, Flammability - 1, Physical Hazard - 0

NFPA Hazard Ratings: Health - 3, Flammability - 1, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

### 3. Composition/information on ingredients

Weight	Components - (CAS-No.)
percent	
35 - 40	Ammonium thiosulphate (7783-18-8)
5 - 10	Sodium bisulphite (7631-90-5)
1 - 5	Ammonium bisulphite (10192-30-0)
1 - 5	Ammonium sulphite (10196-04-0)
1 - 5	Ammonium acetate (631-61-8)

Revision Date: 02/06/2014 000000015336/Version: 3.1 Print Date: 05/20/2014

Page: 3/12

#### 4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

**Skin:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

**Ingestion:** IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: No information available.

# 5. Firefighting measures

**Extinguishing Media:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Flush with plenty of water.

# Special hazards arising from the substance or mixture

**Hazardous Combustion Products:** Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides, (see also Hazardous Decomposition Products sections.)

**Special Fire-Fighting Procedures:** Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

**Unusual Fire and Explosion Hazards:** Dried product residue can act as a reducing agent. Reacts violently with oxidizing materials. May cause spontaneous heating and ignition when absorbed on combustible, porous material (e.g. rags, paper, sawdust, cotton, clothing).

#### 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** Refer to protective measures listed in sections 7 and 8.

**Methods and materials for containment and cleaning up:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

Revision Date: 02/06/2014 000000015336/Version: 3.1 Print Date: 05/20/2014

Page: 4/12

Environmental precautions: Flush with plenty of water.

For Large Spills: Flush with plenty of water.

#### 7. Handling and storage

### Precautions for safe handling

**Personal precautions:** Avoid breathing mist or vapour at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

**Prevention of Fire and Explosion:** Keep from contact with oxidizing materials, highly oxygenated or halogenated solvents, organic compounds containing reducible functional groups. Remove and wash contaminated clothing promptly.

Conditions for safe storage, including any incompatibilities: Store in original container. Keep container tightly closed to prevent the loss of water. Keep away from incompatible substances (see Incompatibility section.)

#### 8. Exposure controls/personal protection

#### Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Sodium bisulphite	ACGIH	time weighted average	5 mg/m3

**Appropriate engineering controls:** Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

#### Individual protection measures, such as personal protective equipment

Eye protection: Wear eye/face protection.

**Hand protection:** Wear protective gloves.

**Respiratory protection:** None should be needed under normal conditions of use. A respirator must be worn if hazardous decomposition products are likely to be or have been released. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

Revision Date: 02/06/2014 000000015336/Version: 3.1 Print Date: 05/20/2014

Page: 5/12

# 9. Physical and chemical properties

Physical form: liquid

Colour: clear

Odour: ammonia

Specific gravity: 1.2820

Vapour pressure (at 20.0 °C (68.0 °F)): 24 mbar (18.0 mm Hg)

Vapour density: 0.6

Boiling point/boiling range: > 100 °C (> 212.0 °F)

Water solubility: complete

**pH:** 5.5

Flash point: does not flash

Evaporation rate: No data available

Flammability (Solid; gas): No data available

Upper explosion limit: No data available

Lower explosion limit: No data available

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

# 10. Stability and reactivity

Revision Date: 02/06/2014 000000015336/Version: 3.1 Print Date: 05/20/2014

Page: 6/12

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

**Incompatible materials:** Acids, Strong bases, sodium hypochlorite (bleach), Halogenated compounds, Oxidizing agents. Contact with sodium hypochlorite (bleach) may form chloramine (toxic gas). Contact with strong acids liberates sulphur dioxide. Contact with base liberates flammable material. Contact with base liberates ammonia.

Hazardous decomposition products: Ammonia, chloramine, Sulphur oxides, Nitrogen oxides (NOx)

## 11. Toxicological information

#### **Effects of Exposure**

**Inhalation:** Expected to be a low hazard for recommended handling. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: Causes serious eye irritation.

Skin: Causes skin irritation.

**Ingestion:** Harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

#### Data for Ammonium thiosulphate (CAS 7783-18-8):

#### **Acute Toxicity Data:**

Oral LD50 (male rat): 500 - 5,000 mg/kgInhalation (rat): 2260 mg/m3 / 4 hr

Eye irritation: none

#### Data for Sodium bisulphite (CAS 7631-90-5):

### **Acute Toxicity Data:**

Oral LD50 (rat): > 1,600 mg/kg

Dermal LD50 (rat): 2,000 mg/kg
Eye irritation (May irritate eyes.): mild

#### Data for Ammonium sulphite (CAS 10196-04-0):

Revision Date: 02/06/2014 000000015336/Version: 3.1 Print Date: 05/20/2014

Page: 7/12

### **Acute Toxicity Data:**

Oral LD50 (rat): 2,528 mg/kg

Inhalation LC50 (rat): > 2.46 mg/l / 6 hr
Dermal LD50 (guinea pig): >1.0 g/kg

Skin irritation: slight

# 12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

### **Potential Toxicity:**

Toxicity to fish (LC50):

> 100 mg/l

Toxicity to daphnia (EC50):

> 100 mg/l

Persistence and degradability:

Not applicable

#### Bioaccumulative potential

No data available

#### Mobility in soil

No information available.

# 13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

# 14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

# 15. Regulatory information

### **Notification status**

Regulatory List

**Notification status** 

Revision Date: 02/06/2014 000000015336/Version: 3.1 Print Date: 05/20/2014

Page: 8/12

**TSCA** All listed DSL All listed **NDSL** None listed **EINECS** All listed **ELINCS** None listed NLP None listed AICS All listed **IECS** All listed **ENCS** All listed ECI All listed **NZIoC** All listed **PICCS** All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

#### Other regulations

American Conference of Governmental Industrial Hygienists
(ACGIH):

American Conference of Governmental Industrial Hygienists
at levels

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

International Agency for Research on Cancer (IARC):

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

U.S. National Toxicology Program (NTP):

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

U.S. Occupational Safety and Health Administration (OSHA):

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

California Prop. 65

This product does not contain any chemicals known to State of

California to cause cancer, birth

Sodium bisulphite, Ammonium

bisulphite, Ammonium sulphite,

Ammonium acetate

Revision Date: 02/06/2014 000000015336/Version: 3.1 Print Date: 05/20/2014

Page: 9/12

defects, or any other reproductive harm. U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of Sodium bisulphite, Ammonium hazardous substances): bisulphite, Ammonium sulphite, Ammonium acetate U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 No components of this product are Appendices A and B - The List of Extremely Hazardous subject to the SARA Section 302 Substances and Their Threshold Planning Quantities): (40 CFR 355) reporting requirements. U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Ammonium thiosulphate, Ammonium Toxic Chemical Release Reporting): bisulphite, Ammonium sulphite, Ammonium acetate U.S. - California - 8 CCR Section 339 - Director's List of Sodium bisulphite, Ammonium Hazardous Substances: bisulphite, Ammonium sulphite, Ammonium acetate U.S. - California - 8 CCR Section 5200-5220 - Specifically No components found on the California Regulated Carcinogens: Specifically Regulated Carcinogens List. U.S. - California - 8 CCR Section 5203 Carcinogens: No components found on the California Section 5203 Carcinogens List. U.S. - California - 8 CCR Section 5209 Carcinogens: No components found on the California Section 5209 Carcinogens List. U.S. - Massachusetts - General Law Chapter 111F (MGL c Ammonium thiosulphate, Sodium 111F) - Hazardous Substances Disclosure by bisulphite, Ammonium bisulphite, Employers (a.k.a. Right to Know Law): Ammonium sulphite, Ammonium acetate U.S. - Minnesota Employee Right-to-Know (5206.0400. Sodium bisulphite Subpart 5. List of Hazardous Substances): U.S. - New Jersey - Worker and Community Right to Know Sodium bisulphite, Ammonium Act (N.J.S.A. 34:5A-1): bisulphite, Ammonium sulphite, Ammonium acetate U.S. - Pennsylvania - Part XIII. Worker and Community Water, Ammonium thiosulphate,

#### 16. Other information

List, Appendix A):

Right-to-Know Act (Chapter 323 Hazardous Substance

Revision Date: 02/06/2014 000000015336/Version: 3.1 Print Date: 05/20/2014

Page: 10/12

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

#### **US/Canadian Label Statements:**

#### Ektacolor Bleach Fix Replenisher, Part A

#### Contains:

Ammonium thiosulphate (7783-18-8), Ammonium bisulphite (10192-30-0), Sodium bisulphite (7631-90-5), Ammonium sulphite (10196-04-0)

# Symbol(s):



Signal word: Warning

#### Hazard statements:

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Hazard statements:

#### Precautionary statements:

**Prevention:** Wear protective gloves/eye protection/face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

Storage: Store in a well-ventilated place. Keep cool.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulation.

**FIRST AID:** If inhaled, remove to fresh air. Get medical attention if symptoms occur. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and

Revision Date: 02/06/2014 000000015336/Version: 3.1 Print Date: 05/20/2014

Page: 11/12

water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. IN CASE OF FIRE: Use water spray, alcoholresistant foam, dry chemical or carbon dioxide. Flush with plenty of water. IN CASE OF SPILL: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. For Large Spills: Flush with plenty of water.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-2, F-1, C-1

Revision Date: 02/06/2014 000000015336/Version: 3.1 Print Date: 05/20/2014

Page: 12/12