# 字法集⑤ Sino Promise Group

# SAFETY DATA SHEET

#### 1. Identification

Product identifier KODAK EKTACOLOR PRIME Stabilizer and Replenisher LORR

Other means of identification

SDS number PCD 6657 Product code 8264442

**Recommended use** Photographic processing chemical. (developer/activator).

**Recommended restrictions** For industrial use only. **Manufacturer/Importer/Supplier/Distributor information** 

Supplier Sino Promise Inc

Address 336 Initiative Drive

Rochester, NY 14624

USA

e-mail EHS-Questions@sinopromise.com

**Emergency telephone** 

number

1-800-424-9300 OR +1 703-527-3887

Supplier Not available.

#### 2. Hazard identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A Sensitization, skin Category 1

Environmental hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

**Precautionary statement** 

**Prevention** Avoid breathing mist or vapor. Wash thoroughly after handling. Wear eye protection/face

protection. Wear protective gloves.

**Response** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If

eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

# 3. Composition/information on ingredients

**Mixtures** 

Material name: KODAK EKTACOLOR PRIME Stabilizer and Replenisher LORR 8264442 Version #: 06 Revision date: 01-11-2021 Issue date: 07-16-2016

Chemical name	Common name and synonyms	CAS number	<u></u>
Mixture of		55965-84-9	0.1 - < 0.6
5-chloro-2-methyl-4-isothiazolin-3-	0		
ne (26172-55-4) and			
2-methyl-4-isothiazolin-3-one			
(2682-20-4)(3:1)			
Copper(ii) Nitrate		3251-23-8	0 - 0.1

All concentrations are in percent by weight. Chemical ranges are provided in lieu of exact percentages, which are withheld as trade secrets.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders. Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis.

Indication of immediate medical attention and special treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Fire fighting

Move containers from fire area if you can do so without risk.

Specific methods

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe

good industrial hygiene practices.

# 8. Exposure controls/personal protection

### Occupational exposure limits

**US. ACGIH Threshold Limit Values** 

Components	Type	Value	Form	
Copper(ii) Nitrate (CAS 3251-23-8)	TWA	1 mg/m3	Dust and mist.	
		0.2 mg/m3	Fume.	

Components	Туре	Value	Form
Copper(ii) Nitrate (CAS 3251-23-8)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. Liquid. **Form** Color Light green Odor odorless **Odor threshold** Not available.

4.3 рH

Melting point/freezing point Not available. > 212 °F (> 100 °C) Initial boiling point and boiling

range

does not flash Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

18 mm Hg Vapor pressure

0.6 Vapor density Relative density 1.02

Solubility(ies)

Solubility (water) Complete. Not available. **Partition coefficient** 

(n-octanol/water)

Not available.

**Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Density 1.02 g/cm3 **Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No dangerous reaction known under conditions of normal use.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Causes skin irritation. May cause an allergic skin reaction. Skin contact

Eve contact Causes serious eye irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

## Information on toxicological effects

**Acute toxicity** 

Components **Test Results Species** 

Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one (26172-55-4) and 2-methyl-4-isothiazolin-3-one (2682-20-4)(3:1) (CAS 55965-84-9)

**Acute** Dermal

LD50 Rabbit 660 mg/kg

Oral

LD50 Rat 457 ml/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Not available. Carcinogenicity

Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not applicable.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

ComponentsSpeciesTest ResultsCopper(ii) Nitrate (CAS 3251-23-8)AquaticCrustaceaEC50Water flea (Moina dubia)0.037 - 0.044 mg/l, 48 hoursFishLC50Winter flounder (Pleuronectes americanus)0.057 - 0.1061 mg/l, 96 hours

Persistence and degradability

Bioaccumulative potential

Not readily biodegradable.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds,

waterways or ditches with chemical or used container. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

#### **TDG**

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

# 15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

#### **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

#### **Greenhouse Gases**

Not listed.

Material name: KODAK EKTACOLOR PRIME Stabilizer and Replenisher LORR 8264442 Version #: 06 Revision date: 01-11-2021 Issue date: 07-16-2016

# Ontario. Toxic Substances. Toxic Reduction Act, 2009. Regulation 455/09 (July 1, 2011)

Copper(ii) Nitrate (CAS 3251-23-8)

# **Precursor Control Regulations**

Not regulated.

#### International regulations

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

#### **Kyoto protocol**

Not applicable.

# **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

Country(s) or region

#### **International Inventories**

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

(PICCS)

Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16. Other information

Taiwan

 Issue date
 07-16-2016

 Revision date
 01-11-2021

Version # 06

List of abbreviations IARC Monographs. Overall Evaluation of Carcinogenicity

CAS: Chemical Abstract Service. PBT: Persistent, bioaccumulative, toxic. vPvB: very Persistent, very Bioaccumulative.

Taiwan Chemical Substance Inventory (TCSI)

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TWA: Time Weighted Average. STEL: Short-term Exposure Limit. LD50: Lethal Dose 50%.

LC50: Lethal Concentration 50%. EC50: Effective Concentration 50%.

**References** ECHA: European Chemical Agency.

**Disclaimer** Sino Promise Group cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

On inventory (yes/no)\*

Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **Revision information**

Product and Company Identification: Product and Company Identification

Identification: Recommended restrictions

Composition / Information on Ingredients: Ingredients Fire-fighting measures: Unsuitable extinguishing media Physical & Chemical Properties: Multiple Properties
Disposal considerations: Waste from residues / unused products
Disposal considerations: Contaminated packaging
Other information: References

Other information: List of abbreviations

GHS: Classification