

FREESTYLE PHOTOGRAPHIC SUPPLIES MARATHON® FILM DEVELOPER

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Distributor: Freestyle Photographic Supplies 5124 Sunset Blvd., Hollywood, CA 90027 Product Name: MARATHON FILM DEVELOPER Product Number: 669200, 669202, 10153 Product Use: Photographic developer. Customer Information Phone Number: 1-800-292-6137 CHEMTREC®: 24 Hour Emergency Transport Phone Number: 1-800-424-9300 Date Reviewed: 2/18/2015 Version: 2.0

2. HAZARDOUS IDENTIFICATION

2.1 Classification of the substance or mixture

Health hazard

Acute toxicity, Oral (Category 4), H302 Serious eye damage (Category 1), H318 Skin sensitization (Category 1), H317 Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 2), H351 Specific organ toxcity Oral (Category 2), Kidney, H373 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word: WARNING

Hazard statement(s)

H	1302	Harmful if swallowed
F	1317	May cause allergic skin reaction
F	1318	Causes severe eye damage
H	1341	Suspected of causing genetic defects
F	1351	Suspected of causing cancer
F	1373	Specific organ toxicity – repeated exposure, Oral (Category 2), Kidney
F	410	Very toxic to aquatic life

Date: 2/18/15	Marathon Film Developer	1 / 8



Precautionary statement(s)

- P201 Obtain special instructions before use
- P261 Avoid breathing mist
- P264 Wash skin thoroughly after handling
- P270 Do not eat, drink, or smoke when using this product
- P273 Avoid release into the environment
- P280 Wear protective gloves, eye protection
- P301 + P312 IF SWALLOWED; call a POISON CENTER or doctor/physician if you feel unwell
- P302 + P352 IF ON SKIN: Wash with plenty of soap
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P321 Specific treatment (see supplemental first aid instructions on this label).
- P330 Rinse mouth.
- P333 +P313 If skin irritation or rash occurs: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse
- P391 Collect spillage
- P501 Dispose of contents to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS	OHSA PEL	ACGIH TLV	Weight %
POTASSIUM SULFITE	10117-38-1	N.E.	N.E.	10-20
HYDROQUINONE	123-31-9	2mg/m³	2mg/m ³	1-5
DIETHYLENE GLYCOL	111-46-6	N.E.	50 ppm *	1-5
SODIUM BORATE	1303-96-4	N.E	5mg/m ³	1-5
* AIHA Workplace Environmental exposure Level (WEEL)				

* AIHA Workplace Environmental exposure Level (WEEL)

4. FIRST AID MEASURES

4.1 Description of first aid measures

- **Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
- **Inhalation:** If symptomatic, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
- **Ingestion:** Only induce vomiting at the instruction of medical personnel. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.
- **Skin Contact:** Flush skin with plenty of water and wash with a non-alkaline skin cleaner. Wash contaminated clothes before reuse. Get medical attention if irritation develops.
- Aggravated Medical Conditions: Individuals who are under the care of a physician or have chronic ailments, should consult a physician before using this product. May cause severe allergic reaction in some asthmatics and sulfite sensitive individuals.



5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use agent appropriate for surrounding fire.

5.2 Special Hazards arising from substance or mixture

Fire or excessive heat may cause production of hazardous decomposition products. Combustion Products: Carbon dioxide, carbon monoxide, and oxides of sulfur.

5.3 Advise for firefighters

Wear self-contained breathing NIOSH/MSHA approved apparatus and protective clothing to prevent contact with skin and eyes. Fire or excessive heat may produce hazardous decomposition products. Use water to keep containers cool.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Review fire and explosion hazards and safety precautions before proceeding with cleanup. Use appropriate personal protective equipment. Avoid contact with skin and eyes. Stop the spillage. Dike the spill. Prevent liquid from entering sewers, waterways or low areas. Absorb spillage in inert material. Soak up with sawdust, sand, or other absorbent material. Remove non-usable solid material and/or contaminated soil for disposal in an approved and permitted landfill.

6.2 Environmental precautions

Prevent liquid from entering sewers, waterways or low areas. Discharge to sewer requires approval of permitting authority and may require pre-treatment. Contaminated surfaces should be cleaned using water.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Store in a cool, dry, well-ventilated area. Keep containers closed. Do not store or consume food, drink, or tobacco where they may become contaminated with this material.

7.2 Conditions for safe storage, including any incompatibles

Do not store with incompatible materials. Do not store with oxidizing materials and keep away from heat. All labeled precautions must be observed when handling, storing and transporting empty containers due to product residues. Triple rinse before disposal. Dispose of in a licensed facility.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

8.1 Control parameters

See Section 3.

8.2 Exposure controls

Use good personal hygiene when handling this product. Wash hands after use, before smoking, or using the toilet. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.



Personal protective equipment

Eye Protection: Safety glasses with side shields (or goggles).

Respiratory Protection: When this product is used in the intended way, no respiratory protection is anticipated to be necessary. However, if use conditions generate decomposition vapors or fumes; use a NIOSH approved respirator with acid gas cartridges.

Skin protection: Latex, rubber, or neoprene waterproof gloves are recommended.

Body protection: Rubber or plastic apron.

Respiratory protection: Local exhaust ventilation is recommended. Ventilation must be adequate to keep hazardous ingredients below their exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance And Odor: Light straw color, no odor. Solubility In Water: Complete Boiling Point: > 100° C Flash Point: Nonflammable Flash Point Method: Not applicable Auto ignition: Not applicable LEL: Not applicable **UEL:** Not applicable Vapor Pressure: 18 mm Hg @ 20° C Ph: 9.55 Specific Gravity: 1.12 g /ml Melting Point: Not applicable Freezing Point: N.E. Evaporation Rate: N.E. Vapor Density: Nor established Percent Volatile: 79.71 Molecular Weight: Not applicable Pounds Per Gallon: 9.32 V.O.C. is 50.6 g/L or 4.5% or 0.4 lb. /gal.

10. STABILITY AND REACTIVITY

- 10.1 Reactivity Stable
- **10.2 Chemical stability** Conditions To Avoid: Heat
- **10.3 Possibility of hazardous reactions** No data available



10.4 Conditions to avoid

No data available

10.5 Incompatible Materials

Strong acids, oxidizing agents

10.6 Decomposition Products

May produce oxides of sulfur and carbon

11. TOXICOLOGICAL INFORMATION

11.1 Information of toxicological effects

Component information

Diethylene glycol 111-46-6

Acute toxicity:

Oral: LD50 (rats): 12,565 mg/kg Oral: LD50 (human) - 1,000 mg/kg Remarks: Effects due to ingestion may include: Drowsiness, Gastrointestinal disturbance, Liver disorders Behavioral: Muscle weakness LD50 (rabbits) - 11,890 mg/kg Dermal: Inhalation: no data **Skin irritation:** Skin – rabbit. not irritant **Eyes** – rabbit, not considered to be a human eye irritant in normal industrial use. **Respiratory or skin sensitization:** Maximization Test – guinea pig, did not cause sensitization. Carcinogenicity/mutagenicity: none Specific target organ toxicity – repeated exposure May cause damage to organs through prolonged exposure. Oral - kidney

Hydroquinone 123-31-9

 Acute toxicity:
 367.3 mg/kg (OECD Test Guidance 401)

 Oral LD-50 (rat)
 367.3 mg/kg (OECD Test Guidance 401)

 Dermal LD-50 (rabbit)
 >2,000 mg/kg (OECD Test Guidance 402)

 Inhalation: no data
 Skin irritation: no data

 Eye irritation: no data
 Eye irritation: no data

 Respiratory or Skin Sensitization
 (in vivo assay – mouse (OECD Test Guidance 429)

 May cause sensitization by skin contact.

 May cause allergic skin reaction.

 Carcinogenicity/mutagenicity: none

Potassium Sulfite 45% 10117-38-1

Acute toxicity:

No data available Dermal:

Date: 2/18/15



No data available Inhalation: No data available **Skin irritation:**

Skin – rabbit (OECD Test Guidance 429) No skin irritation – 4h

Eye irritation: No data available Respiratory or Skin Sensitization No data available Carcinogenicity/mutagenicity: none

12. ECOLOGICAL INFORMATION

Component information

Diethylene glycol 111-46-6

12.1 Toxicity

Toxicity to fish	LC50-Pimephales promelas (fathead minnow) – 75,200 LC50-Carassius auratus (goldfish) – 5,000 mg/l –	•		
Toxicity to daphnia and other aquatic invertebrate	es EC50 – Daphnia magna (Water flea) -> 10,000 n	ng/l – 24 h		
12.2 Persistence and degra Biodegradability	adability anaerobic – Exposure time 28d Result: 90 – 100% - Readily biodegradable.			
12.3 Bioaccumulative pote Bioaccumulation	e ntial Leuciscus idus melanotus – 3 d – 0.05 mg/l			
12.4 Mobility in soil No data available				
12.5 Result of PBT and vPvB assessment Assessment not available as chemical assessment not required/not conducted				
12.5 Other adverse effects	None			
Hydroquinone 123-31-9				
12.1 Toxicity				
Toxicity to fish	LC50-Oncorhynchusd mykiss (rainbow trout) – 0.4 mg/l – 96h	-0.1		
Toxicity to daphnia and other aquatic invertebrate	LC50 – Daphnia magna (Water flea) – 0.13 – 48h es			
Toxicity to algae	EC50 – Pseudokirchneriella subcapitata (green a -0.335 mg/l – 72 h	lgae)		
Date: 2/18/15	Marathon Film Developer	6 / 8		



12.2 Persistence and degradability

Biodegradability

Bioaccumulation

Biotic/Aerobic – exposure time 14d Result: 86% - Readily biodegradable

12.3 Bioaccumulative potential

Leuciscus idus (golden orfe) – $3d - 50 \mu$ No data available Bioconcentration factor (BCF):40

12.4 Mobility in soil

No data available

12.5 Result of PBT and vPvB assessment

Assessment not available as chemical assessment not required/not conducted

12.5 Other adverse effects

Very toxic to aquatic life with long lasting effects.

Potassium Sulfite 45% 10117-38-1

12.1 Toxicity

Toxicity to fish

Static test-Leuciscus idus (golden orfe) – 215-464 mg/l – 96h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Result of PBT and vPvB assessment

Assessment not available as chemical assessment not required/not conducted

12.5 Other adverse effects

None

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Preferred options for disposal are to send to licensed reclaimers, or to permitted incinerators. Any disposal practice must be in compliance with federal, state, and local regulations. Do not dump into sewers, ground, or any body of water.

14. TRANSPORT INFORMATION

DOT (US)

Not regulated

Date: 2/18/15



15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

	Cas#	Revision Date
Hydroquinone	123-31-9	2007-07-01

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	Cas#	Revision Date
Hydroquinone	123-31-9	2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

TSCA

All ingredients in this finished product are listed on the EPA TSCA INVENTORY.

SCAQMD Rule 443.1

Photochemically Reactive: No Maximum Grams of VOC per Liter: 50.6 g/L Vapor Pressure: 18 mm Hg@ 20 Degrees C

16. OTHER INFORMATION

Full text of H-statements referred to under sections 2 and 3.

Acute toxicity, Oral (Category 4), H302 Serious eye damage (Category 1), H318 Skin sensitization (Category 1), H317 Acute aquatic toxicity (Category 1), H400

HMIS RATING

Health: 2 Flammability: 0 Reactivity: 0

OTHER ADDITIONAL INFORMATION: The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for the injuries from the use of the product described herein.

Date: 2/18/15 Marathon Film Developer	8/8
---------------------------------------	-----