SDS



SDS

Photographic Solutions

Since the Dawn of Digital® 430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

SAFETY DATA SHEET

1. Identification

Product identifier: Eclipse Optic Cleaner®; e-wipe®; Sensor Swab Plus®; Ultra Swab Plus™

Other means of identification

Synonyms: Methyl Alcohol ; Methanol

Recommended use and restriction on use

Recommended use: These products are intended for cleaning optical glass lenses, filters, sensors such as those used in photography, binoculars, telescopes, etc. See specific product packaging for instructions on use.

Restrictions on use: Do not use these products on eyeglasses or plastics of any kind.

Details of the supplier of the safety data sheet

Manufacturer

Company Name: Photosol,Inc. Address: 430-G Ansin Blvd.

Hallandale, FL 33009

Telephone: 954.458.4744

Fax: None

Contact Person: David M. Stone E-mail: orders@photosol.com

Emergency telephone number: Chemtrec:800-424-9300

2.Hazard(s) Identification

Hazard Classification

Physical Hazards

Flammable liquids Category2

Health Hazards

Acute toxicity (Oral)

Acute toxicity (Dermal)

Acute toxicity (Inhalation-vapor)

Skin Corrosion / Irritation

Serious Eye Damage / Eye Irritation

Category2

Toxic to reproduction

Specific Target Organ Toxicity
Category3

Category2

Category2

Category2

Single Exposure

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Toxic in contact with skin.

Toxic if inhaled.
Toxic if swallowed.

Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child.

Causes damage to organs.

Precautionary Statement

Prevention: Read instructions with product before use. Do not breathe

dust/fume/gas/mist/vapors/spray. Do not handle until all safety precautions

have been read and understood. Wear protective gloves/protective

clothing / eye protection / face protection. Keep away from

heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-

proof electrical/ventilating/lighting/equipment. Take precautionary

measures against static discharge.

Response: IF EXPOSED or CONCERNED: Get medical advice / attention. IF ON SKIN

(or hair): Take off immediately all contaminated clothing. Rinse skin or hair with water/shower. IF IN EYES: Remove contact lenses, if present and easy to do. Rinse cautiously with water for several minutes and seek immediate medical attention. IF INHALED: Remove person to fresh air and

keep comfortable for breathing. IFSWALLOWED: Immediately call a

POISON CENTER or doctor/physician.

Storage: Store in a well-ventilated place. Keep cool. Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

Static accumulating flammable liquids can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite

liquid and vapor. May cause flash fire or explosion.

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

3. Composition / information on ingredients

Substances

Chemical Identity	Common name and synonyms	CAS number Content in percent(%)	
METHYL ALCOHOL		67-56-1	99- 100%

4.First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Call a physician or poison control center immediately. Do NOT induce

vomiting. If vomiting occurs, keep head low so that stomach content doesn't

get in to the lungs.

Inhalation: Move to fresh air. Call a physician or poison control center immediately. If

breathing stops, provide artificial respiration. If breathing is difficult ,give

oxygen.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms: Toxic if inhaled. Toxic if swallowed. Toxic in contact with skin. Irritating to

eyes, respiratory system and skin.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire - exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is

out.

Suitable (and unsuitable) extinguishing media

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

Suitable extinguishing media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical:

Can be ignited easily and burns vigorously. Vapor from the solvent may accumulate in container head space resulting in flammability hazard. Fire may produce irritating, corrosive and /or toxic gases.

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

Special protective equipment and precautions for firefighters

Special firefighting procedures:

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep unauthorized personnel away. Keep up wind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning up:

Eliminate all ignition sources if safe to do so. Use only non-sparking tools. All equipment used when handling the product must be grounded. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures:

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.

Environmental Precautions:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling:

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharge. Use only non-sparking tools. Use personal protective equipment as required. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Do not eat, drink or smoke when using the product. Use only with adequate ventilation. Wash hands thoroughly after handling. See Section 8 of the SDS for Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities:

Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Keep container tightly closed in a cool, well-ventilated place. Store in a dry place. Ground container and transfer equipment to eliminate static electrics parks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.



SDS

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

8.Exposure controls / personal protection

Control Parameters

Occupational Exposure Limits

occupational Exposure Limits						
Chemical Identity	type	Exposure Limit Values	Source			
METHYL ALCOHOL	TWA	200 ppm	US. ACGIH Threshold Limit Values(2011)			
	STEL	250 ppm	US. ACGIH Threshold Limit Values(2011)			
	STEL	325mg/m3	US.NIOSH: Pocket Guide to Chemical Hazards(2010)			
	REL	260mg/m3	US.NIOSH: Pocket Guide to Chemical Hazards(2010)			
	PEL	260mg/m3	US.OSHATableZ-1 Limits for Air Contaminants(29 CFR1910.1000)(02 2006)			
	TWA	260mg/m3	US.OSHATableZ-1-A(29 CFR 1910.1000) (1989)			
	STEL	325mg/m3	ÜS.OSHATableZ-1-A(29 CFR 1910.1000) (1989)			

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
METHYL ALCOHOL	15mg/l (Urine)	ACGIHBEL(03 2013)
(methanol: Sampling time:		
End of shift.)		

Appropriate Engineering Controls

No data available.

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use

process enclosures, local exhaust ventilation, or other engineering controls

to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eyewash and safety shower must be available in the

immediate work area. Use explosion-proof ventilation equipment.

Eye / face protection: Chemical goggles and face shield are recommended.

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Wear suitable protective clothing and gloves.

Respiratory Protection: In case of inadequate ventilation use suitable respirator.

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot wear that cannot be cleaned.

Wash contaminated clothing before reuse.

9. Physical and chemical properties

Appearance

Physical state: liquid
Form: liquid
Color: Colorless

Odor: Characteristic, Pungent
Odor threshold: No data available.
pH: No data available.

Melting point / freezing point: -97.8°C

Initial boiling point and boiling range: 64°C (101.3kPa)

Flash Point: 11-12 °C(Closed Cup)

Evaporation rate: No data available.

Flammability (solid, gas): Class IB Flammable Liquid

Upper/lower limit on flammability or explosive limits

Flammability limit-upper(%): 36%(V) Flammability limit-lower(%): 6%(V)

Explosive limit-upper(%):

Explosive limit-lower(%):

Vapor pressure:

Vapor density:

No data available.

No data available.

16.9kPa(25°C)

1.11AIR=1

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

Relative density: 0.8(20°C)

Solubility(ies)

Solubility in water: 1,000g/l miscible with water.

Solubility (other): No data available.

Partition coefficient (n-octanol / water): -0.77

Auto-ignition temperature: 464°C

Decomposition temperature:No data available. **Viscosity:**No data available.

Other information

Molecular weight: 32.04g/mol(CH4O)

10.Stability and reactivity

Reactivity: Contact with metals may evolve flammable hydrogen gas.

Chemical Stability: Material is stable under normal conditions.

Possibility of Hazardous

Reactions:

Hazardous polymerization does not occur.

Conditions to Avoid: Heat, sparks, flames. Sunlight.

Incompatible Materials: Oxidizing agents. Strong oxidizing agents. Acids.

Hazardous Decomposition

Products:

Thermal decomposition may release oxides of carbon. Formaldehyde.

Toxic gas

11.Toxicological information

Information on likely routes of exposure

Ingestion: Toxic if swallowed.

Inhalation: Toxic by inhalation.

Skin Contact: Toxic in contact with skin.

Eye contact: Causes serious eye irritation.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure) Oral Product:

LD50 (Rat):5,628mg/kg LD50 (Mouse):7,300mg/kg LD50 (Rabbit):14,300mg/kg

Dermal Product: LD50 (Rabbit):15,800mg/kg

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

Inhalation

Product: LC50 (Rat,1h): >145000ppm

LC50 (Rat,4h): 64000ppm

Repeated dose toxicity

Product: In serious cases absorption of methanol in the body may lead to damage to

the eyesight.

Skin Corrosion / Irritation

Product: Causes skin irritation.

Serious Eye Damage / Eye Irritation

Product: Causes eye irritation.

Respiratory or Skin Sensitization

Product: Not a skin sensitizer.

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US OSHA Specifically Regulated Substances (29CFR1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No carcinogenic components identified

In vivo

Product: No carcinogenic components identified

Reproductive toxicity

Product: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity-Single Exposure

Product: Central nervous system. Eyes.

Specific Target Organ Toxicity- Repeated Exposure

Product: None known.

Aspiration Hazard

Product: No data available.

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product

LC50 (Fathead minnow Pimephales

Promelias), 96h:>100 mg/l Aquatic Invertebrates

Product: EC50 Waterflea (Daphnia magna), 48h):> 10,000mg/l

Photographic Solutions

Since the Dawn of Digital® 430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: Expected to be readily biodegradable.

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

BOD / COD Ratio

Product: No data available.

Bio-accumulative Potential

Bio-concentration Factor (BCF)

Product: May accumulate in soil and water systems.

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow:-0.77

Mobility in Soil: No data available.

Other Adverse Effects: The product components are not classified as environmentally hazardous.

However, this does not exclude the possibility that large or frequent spills

can have a harmful or damaging effect on the environment.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.

14.Transport information

DOT

UN Number: Y963

UN Proper Shipping Name: Consumer Commodity

Transport Hazard Class(es)

Class(es): 9
Label(s): 9
Packing Group: II

Marine Pollutant: Not a Marine Pollutant

Special precautions for user: –

IMDG

UN Number: Y963

UN Proper Shipping Name: Consumer Commodity

Transport Hazard Class(es)

 Class(es):
 9

 Label(s):
 9

 EmSNo.:
 F-E,S-D

Packing Group:

Marine Pollutant: Not a Marine Pollutant

Special precautions for user: -

IATA

UN Number: UN1230

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

Proper Shipping Name: Methanol

Transport Hazard Class(es):

Class(es): 3,6.1 Label(s): 3,6.1

Marine Pollutant: Not a Marine Pollutant

Packing Group: II
Special precautions for user: –

15.Regulatory information

US Federal Regulations

TSCA Section12(b) Export Notification (40CFR707, Subpt. D)
US OSHA Specifically Regulated Substances (29CFR1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40CFR302.4):

Chemical Identity Reportable quantity

METHYL ALCOHOL 5000lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Acute (Immediate) Chronic (Delayed)

Fire

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

Chemical Identity Reportable quantity

METHYL ALCOHOL 5000lbs.

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

METHYL ALCOHOL 10000lbs

SARA 313 (TRI Reporting)

Reporting Reporting threshold for

threshold for manufacturing and

Chemical Identityother usersprocessingMETHYL ALCOHOL10000lbs25000lbs.

Clean Water Act Section 311 Hazardous Substances (40CFR117.3)

None present or none present in regulated quantities.

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40CFR68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

METHYL ALCOHOL Developmental toxin. WARNING: This

product contains a chemical known to the State of California to cause birth defects or

other reproductive harm.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

METHYL ALCOHOL

US. Massachusetts RTK- Substance List

Chemical Identity

METHYL ALCOHOL

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

METHYL ALCOHOL

US. Rhode Island RTK

Chemical Identity

METHYL ALCOHOL;

METHANOL

16.Other information, including date of preparation or last revision

NFPA Hazard ID Flammability Health Reactivity Special hazard

Hazard rating: 0-Minimal; 1-Slight; 2-Moderate; 3-Serious; 4-Severe; RNP-Rating not possible

Issue Date: 05-20-2015

Revision Date: No data available.

Version#: 1

Photographic Solutions

Since the Dawn of Digital®

430-G Ansin Blvd. | Hallandale, FL 33009 | Tel: 954.458.4744

Further Information: No data available.

Disclaimer: THE INFORMATION PRESENTED IN THIS SAFETY DATA SHEET (SDS)

WAS PREPARED BASED ON DATA THAT BELIEVED TO BE ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND PHOTOSOL, INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT

TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED,OR

STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF

ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, PHOTOSOL, INC. ASSUMES NO LIABILITY WHAT-SO-EVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. PHOTOSOL, INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS SDS AVAILABLE TO